

MEGHALAYA CEMENTS LIMITED

CIN: U26942ML2003PLC007125

NOVEMBER – 2020

STACK EMISSION MONITORING RESULTS (Average Values)

Sl.No.	Stack Attached To	Particulate Matter(mg/Nm ³)	SO ₂ (mg/Nm ³)	NO ₂ (mg/Nm ³)
1	Primary Crusher	12.71	-	-
2	Secondary crusher	21.92	-	-
3	Coal Mill 1	15.19	-	-
4	Coal Mill 2	20.37	-	-
5	RABH 1	18.36	648.36	251.30
6	RABH 2	14.29	715.38	242.47
7	ESP 1	28.19	-	-
8	ESP 2	27.34	-	-
9	Packing House - 1	13.69	-	-
10	Packing House - 2	15.92	-	-
11	Cement Mill - 1	14.64	-	-
12	Cement Mill - 2	13.58	-	-
13	CPP	27.61	549.24	263.49

AMBIENT AIR QUALITY MONITORING RESULTS (Average Values)

Stations ↓ Parameters →	Respirable Suspended Particulate Matter (µg/m ³)		Gaseous Emission (µg/m ³)	
	PM ₁₀	PM _{2.5}	SO ₂	NO ₂
Station # 1 (Near DG Set Area)	39.14	25.67	08.26	05.34
Station # 2 (Near Guest house)	35.12	27.06	11.43	08.37
Station # 3 (Near Stone Crusher Area)	42.85	33.61	07.32	09.21
Station # 4 (Near CCR Building)	43.27	30.38	08.98	11.74



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 07.12.2020

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report for the month of **November'2020** for **2600 TPD Cement Manufacturing Plant** along with **10 MW Captive Power Plant** report respectively.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**


R.K. Pareek
(President)







ISO 9001:2015 & 14001:2015
50001:2011 Certified Company

Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

HELPLINE NO : 18001233666

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : +91 89742 17765 / 70850 58469 / 98625 09599
E-mail : meghalaya@topcem.in



MEGHALAYA CEMENTS LIMITED

AMBIENT AIR QUALITY SURVEY

Location of sampling		MCL, Thangskai			
Date of sampling		09.11.2020 & 10.11.2020			
Distance between the industry and sampling Location		100.0 meters 20.00 meters 25.00 meters 10.00 meters			
Time duration of sampling		48 hrs			
Weather		Clear			
Total Rainfall, mm(On Date)		00.00 mm			
Ambient Temperature(⁰ C)):					
Maximum:		31.03			
Minimum:		24.36			
Relative Humidity (%):					
Maximum:		92.35			
Minimum:		56.43			
Wind direction		→ SE (126.28)			
Pollutants	Analysis results				Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.				
	1)Opposite Guest house A/29/2020-21	2)Near L/S Crusher A/30/2020-21	3)Near Substation (DW Direction) A/31/2020-21	4) Near CCR Building A/32/2020-21	
	24 hrs.	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM ₁₀ (µg/m ³)	35.12	42.85	39.14	43.27	100µg/m ³
Suspended Particulate Matters PM _{2.5} (µg/m ³)	27.06	33.61	25.67	30.38	60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by

Singh
(Arti Singh)

Checked & Verified by

Meshram
(Dinesh Meshram)

Regd. Office and Works: Village Thangskai, P.O. Lumshnong, Dist - East Jaintia Hills, Meghalaya Pin-793210 Ph.:03655-278324/363/364 Corporate Office: BE-77, Salt Lake City, Sector - 1, Kolkata - 700 064, Ph.:033 23340666/0004, Fax: 03655 278327


MEGHALAYA CEMENTS LIMITED

CPP AMBIENT AIR QUALITY SURVEY


Location of sampling		CPP, MCL, Thangskai		
Date of sampling		19.11.2020		
Distance between the industry and sampling Location		25.0 meters		
		25.0 meters		
		25.0 meters		
Time duration of sampling		24 hrs		
Weather		Clear		
Total Rainfall, mm(On Date)		0.00 mm		
Ambient Temperature(⁰ C)):				
Maximum:		29.31		
Minimum:		24.67		
Relative Humidity (%):				
Maximum:		91.34		
Minimum:		53.62		
Wind direction		→S (174.39)		
Pollutants	Analysis results			Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.			
	1)Old Yard side S to E B/22/2020-21	2)Labour colony side S to W B/23/2020-21	3)JUNGLE Side N to E B/24/2020-21	
	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM ₁₀ (µg/m ³)	63.24	59.38	52.15	100µg/m ³
Suspended Particulate Matters PM _{2.5} (µg/m ³)	47.38	41.92	45.78	60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 19.11.2020
Type of Stack : Coal Mill-1
Laboratory reference No : S/92/2020-21

Parameters:


1) Particulate Matter (PM): mg/Nm^3
15.19 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by

  
(Dinesh Meshram)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 10.11.2020
Type of Stack : Coal Mill-2
Laboratory reference No : S/93/2020-21

Parameters:

1) Particulate Matter (PM): mg/Nm^3
 20.37 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram) 

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 16.11.2020
Type of Stack : Packing Plant-1
Laboratory reference No : S/94/2020-21

Parameters:

1) Particulate Matter (PM): mg/Nm^3
13.69 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)



MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 17.11.2020
Type of Stack : Packing Plant-2
Laboratory reference No : S/95/2020-21

Parameters:

1) Particulate Matter (PM): mg/Nm^3
15.92 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 18.11.2020
Type of Stack : Cement Mill No-1
Laboratory reference No : S/96/2020-21

Parameters:

1) Particulate Matter (PM): 14.64 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram) 

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 18.11.2020
Type of Stack : Cement Mill No-2
Laboratory reference No : S/97/2020-21

Parameters:

1) Particulate Matter (PM): 13.58 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)



MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 23.11.2020
Type of Stack : Primary Crusher
Laboratory reference No : S/98/2020-21


Parameters:

1) Particulate Matter (PM): mg/Nm^3

12.71 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 24.11.2020
Type of Stack : Secondary Crusher
Laboratory reference No : S/99/2020-21


Parameters:

1) Particulate Matter (PM): mg/Nm³

21.92 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram) 

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 05.11.2020
Type of Stack : Cooler E.S.P-1
Laboratory reference No : S/100/2020-21


Parameters:

1) Particulate Matter (PM): mg/Nm^3

28.19 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 03.11.2020
Type of Stack : Cooler E.S.P-2
Laboratory reference No : S/101/2020-21

Parameters:

1) Particulate Matter (PM): mg/Nm^3
27.34 mg/Nm^3


Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by





MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 12.11.2020
Type of Stack : Kiln & Raw Mill (RABH-1)
Laboratory reference No : S/102/2020-21


Parameters:

- 1) Particulate Matter (PM) : 18.36 mg/Nm³
2) Oxides of Sulfur (as SO₂): 648.36 mg/Nm³
3) Oxides of Nitrogen (NOx): 251.30 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Prepared by


(Arti Singh)

Checked & Verified by



(Dinesh Meshram)



MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 13.11.2020
Type of Stack : Kiln & Raw Mill (RABH-2)
Laboratory reference No : S/103/2020-21


Parameters:

- 1) Particulate Matter (PM): 14.29 mg/Nm³
- 2) Oxides of Sulfur (as SO₂): 715.38 mg/Nm³
- 3) Oxides of Nitrogen (NO_x): 242.47 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)



MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 29.11.2020
Type of Stack : C.P.P.
Laboratory reference No : S/104/2020-21

Parameters:


- 1) Particulate Matter (PM): 27.61 mg/Nm³
- 2) Oxides of Sulfur (as SO₂): 549.24 mg/Nm³
- 3) Oxides of Nitrogen (NO_x): 263.49 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.3305 (E) dated 07th Dec'2015.

Prepared by


(Arti Singh)

Checked & Verified by


(Dinesh Meshram)



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 07.12.2020

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month November'2020 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**


R.K. Pareek
(President)



ISO 9001:2015 & 14001:2015
50001:2011 Certified Company

Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : +91 89742 17765 / 70850 58469 / 98625 09599
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

MEGHALAYA CEMENTS LIMITED

PROCESS FUGITIVE EMISSION TEST RESULTS

November'2020

Date of Testing	Location	Fugitive Emission Results for SPM ($\mu\text{g}/\text{m}^3$)	As per the Standard Limit ($\mu\text{g}/\text{m}^3$)
13.11.2020	Lime stone Storage Area	1223	5000
13.11.2020	Coal Storage Area	798	2000
17.11.2020	Clinker Loading Area	1821	5000
17.11.2020	Cement Loading Area	2392	5000
18.11.2020	Coal Storage Area (CPP)	1317	2000
18.11.2020	Fly Ash Silo Area (CPP)	1354	2000

Prepared by

Arti Singh
(Arti Singh)

Checked & Verified by

Dinesh Meshram
(Dinesh Meshram)

Regd. Office and Works: Village Thangskai, P.O. Lumshnong, Dist - East Jaintia Hills, Meghalaya Pin-793210 Ph.:03655-278324/363/364 Corporate Office: BE-77, Salt Lake City, Sector - 1, Kolkata - 700 064, Ph.:033 23340666/0004, Fax: 03655 278327



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 07.12.2020

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of **10 MW Captive Power Plant** for the month of **November'2020**.

Month

Water Consumption


November'2020

19,396.200 m3

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 07.12.2020

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of **2600 TPD Cement Manufacturing Plant** for the month of **November'2020**.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**


R.K. Pareek
(President)



ISO 9001:2015 & 14001:2015
50001:2011 Certified Company

Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : +91 89742 17765 / 70850 58469 / 98625 09599
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

MEGHALAYA CEMENTS LIMITED

FORM - I

(See Rule 4)

Return: Water consumed during the month of November '2020

Name and Address of the consumer	Purpose for which water consumed	Source Tube Well River etc	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of the calendar month under report	Quantity of water consumed in Kilolitres	If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	Quantity of water qualifying for rebate according to the assesses	Remarks (*)
1	2	3	4	5	6	7	8	9
MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshnong Pin No 793210 Jaintia Hills - MEGHALAYA	Domestic purpose	River	(a) 339784 (b) 006671 (c) 652978	(a) 343782 (b) 006688 (c) 659593	10,630	-	-	Qty. of water consumed from river water = 7,136 + 10,630 = 17,766 KL
	Industrial cooling	River	a) 357988 b) 024456 c) 339677	a) 385644 b) 025542 c) 355461	7,136	-	-	Qty of water returned = 35,420 + 1970 = 37,390 KL
	Industrial Purpose	-	-	-	Nil	-	-	-

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

Note: (1) Initial reading of the return line flow meter at the beginning of the month = 1,986,041

Final reading of the return line flow meter at end of month = 2,021,461

(2) Initial reading of S.T.P flow meter at the beginning of the month = 64,959

Final reading of S.T.P flow meter at the end of the month = 66,929



Name of Customer
Address

Thangskai



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 07.12.2020

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality survey report for the month of November'2020 for Limestone mining for an area of 31.05 Ha, at South Khliehjeri.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**


R.K. Pareek
(President)



ISO 9001:2015 & 14001:2015
50001:2011 Certified Company

Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District: East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : +91 89742 17765 / 70850 58469 / 98625 09599
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

M/s MEGHALAYA CEMENTS LIMITED
AMBIENT AIR QUALITY SURVEY

MCL/ENV/LSM-AAQM/2020-21/36

Location of sampling	South Khliehji Limestone Mine (31.05 Ha)
Date duration of sampling	16.11.2020
Time Duration of sampling	24 hours
Weather	Clear
Total Rain Fall, mm (On Date)	00.00 mm
Ambient Temperature (°C) :	Max. - 32.67°C, Min. - 25.02°C
Relative Humidity (%) :	Max. - 83.42%, Min. - 54.29%
Wind direction	→ W(269.18°)

Pollutants	Analysis Results			Permissible Limits for Rural Areas (By MSPCB 24 hrs Monitoring)
	Station No. & Air Quality Survey No.			
	A1. North -East (Near Soil Dump) D/70/20-21	A2. North - West (Near Haul Road) D/71/20-21	A3. Southern side (Near Lease Boundary) D/72/20-21	
	48 hrs.	48 hrs	48 hrs	
Particulate Matters PM10 (µg/m³)	53.94	50.81	57.39	100
Particulate Matters PM2.5 (µg/m³)	37.26	33.49	41.82	60

Remarks : The Parameters analysed were found to be within the permissible Limits of Ambient Air Quality Standards (National) for Rural Areas as per EPA Notification GSR 176, April 1996.

Prepared By

(Arti Singh)

Checked & Verified By

(Dinesh Meshram)



Time