



**MEGHALAYA CEMENTS LIMITED**

CIN- U26942ML2003PLC007125



To,

Date: 08.03.2022

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Ambient Air Quality Survey report for the month of February '2022 for Limestone mining for an area of 31.05 Ha, at South Khliehjeri.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
R.K. Pareek  
(President)



**Sales & Marketing Office :**  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

**Kolkata :**  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

**Registered Office :**  
Village: Thangskai, P.O. & P.S. Lumshong  
District: East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 275324 / 363 / 364  
Fax : 03655 276327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

**M/s MEGHALAYA CEMENTS LIMITED**  
**AMBIENT AIR QUALITY SURVEY**

MCL/ENV/LSM-AAQM/2021-22/36

Location of sampling	South Khliehji Limestone Mine (31.05 Ha)
Date duration of sampling	08.02.2022 to 09.02.2022
Time Duration of sampling	48 hours
Weather	Clear
Total Rain Fall, mm (On Date)	0.00 mm
Ambient Temperature (°C) :	Max. - 16.91°C, Min. - 07.53°C
Relative Humidity (%) :	Max. - 88.41%, Min. - 61.39%
Wind direction	→SE (124.10°)

→SE(124.10°)				
Pollutants	Analysis Results			Permissible Limits for Rural Areas (By MSPCB 24 hrs Monitoring)
	Station No. & Air Quality Survey No.			
	A1. North -East (Near Soil Dump) D/91/2021-22	A2. North - West (Near Haul Road) D/92/2021-22	A3.Southern side (Near Lease Boundary) D/93/2021-22	
	48 hrs.	48 hrs	48 hrs	
Particulate Matters PM10 (µg/m³)	49.73	47.33	51.32	100
Particulate Matters PM2.5 (µg/m³)	28.28	34.53	31.99	60

Remarks : The Parameters analysed were found to be within the permissible

Checked & Verified By

  
 (Ujjwal Anurag)



**MEGHALAYA CEMENTS LIMITED**

CIN- U26942ML2003PLC007125



To,

Date: 08.03.2022

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report for the month of February'2022 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
R.K. Pareek  
(President)



**Sales & Marketing Office :**  
Mega Plaza, 4th Floor, Christien Basti  
G.S. Road, Guwahati - 781 005  
Tel : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

**Kolkata :**  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

**Registered Office :**  
Village: Thangskai, P.O. & P.S. Lumshong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel : 03855 278324 / 363 / 364  
Fax : 03855 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666



# MEGHALAYA CEMENTS LIMITED

## AMBIENT AIR QUALITY SURVEY

Location of sampling		MCL, Thangskai			
Date of sampling		17.02.2022 & 18.02.2022			
Distance between the industry and sampling Location		100.0 meters 20.00 meters 25.00 meters 10.00 meters			
Time duration of sampling		48 hrs			
Weather		Clear			
Total Rainfall, mm(On Date)		00.00 mm			
Ambient Temperature( <sup>0</sup> C)):					
Maximum:		20.38			
Minimum:		09.80			
Relative Humidity (%):					
Maximum:		75.61			
Minimum:		35.71			
Wind direction		→ S (168.47)			
Pollutants	Analysis results				Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.				
	1)Opposite Guest house A/41/2022-22	2)Near L/S Crusher A/42/2022-22	3)Near Substation (DW Direction) A/43/2022-22	4) Near CCR Building A/44/2022-22	
	24 hrs.	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM <sub>10</sub> (µg/m <sup>3</sup> )	61.85	47.63	52.32	51.69	100µg/m <sup>3</sup>
Suspended Particulate Matters PM <sub>2.5</sub> (µg/m <sup>3</sup> )	26.49	32.37	23.99	29.72	60µg/m <sup>3</sup>

**Remarks:** The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16<sup>th</sup> Nov'2009.

Checked & Verified by  
*(Ujjwal Anurag)*

Regd. Office and Works: Village Thangskai, P.O. Lumshnong, Dist - East Jaintia Hills, Meghalaya Pin-793210 Ph.:03655-278324/363/364 Corporate Office: BE-77, Salt Lake City, Sector - 1, Kolkata - 700 064, Ph.:033 23340666/0004, Fax: 03655 278327

# MEGHALAYA CEMENTS LIMITED

## CPP AMBIENT AIR QUALITY SURVEY

Location of sampling	CPP, MCL, Thangskai		
Date of sampling	19.02.2022		
Distance between the industry and sampling Location	25.0 meters 25.0 meters 25.0 meters		
Time duration of sampling	24 hrs		
Weather	Clear		
Total Rainfall, mm(On Date)	0.00 mm		
Ambient Temperature( <sup>0</sup> C):			
Maximum:	19.69		
Minimum:	10.71		
Relative Humidity (%):			
Maximum:	72.82		
Minimum:	47.54		
Wind direction	→SE(159.47)		
Pollutants	Analysis results		
	Station No. & Air Quality Survey No.		
	1)Old Yard side S to E B/31/2022-22	2)Labour colony side S to W B/32/2022-22	3)JUNGLE Side N to E B/33/2022-22
	24 hrs.	24 hrs.	24 hrs.
Suspended Particulate Matters PM <sub>10</sub> (µg/m <sup>3</sup> )	42.71	41.77	39.95
Suspended Particulate Matters PM <sub>2.5</sub> (µg/m <sup>3</sup> )	23.85	21.87	26.71
			Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
			100µg/m <sup>3</sup>
			60µg/m <sup>3</sup>

**Remarks:** The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16<sup>th</sup> Nov'2009.

Checked & Verified by

(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 08.02.2022  
Type of Stack : Primary Crusher  
Laboratory reference No : S/137/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
15.82  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai  
Date of Sampling : 08.02.2022  
Type of Stack : Secondary Crusher  
Laboratory reference No : S/138/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
20.53  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)



## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 14.02.2022  
Type of Stack : Kiln & Raw Mill (RABH-1)  
Laboratory reference No : S/141/2021-22

#### Parameters:

- 1) Particulate Matter (PM) : 16.29 mg/Nm<sup>3</sup>
- 2) Oxides of Sulfur (as SO<sub>2</sub>): 417.05 mg/Nm<sup>3</sup>
- 3) Oxides of Nitrogen (NOx): 185.37 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Note:** The SO<sub>2</sub> result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Checked & Verified by

(Ujjwal Anurag)



## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 15.02.2022  
Type of Stack : Kiln & Raw Mill (RABH-2)  
Laboratory reference No : S/142/2021-22

#### Parameters:

- 1) Particulate Matter (PM): 19.77 mg/Nm<sup>3</sup>
- 2) Oxides of Sulfur (as SO<sub>2</sub>): 466.32 mg/Nm<sup>3</sup>
- 3) Oxides of Nitrogen (NO<sub>x</sub>): 185.56 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Note:** *The SO<sub>2</sub> result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.*

Checked & Verified by  
  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 04.02.2022  
Type of Stack : Coal Mill-1  
Laboratory reference No : S/131/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
23.73  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

(Ujjwal Anurag)

## STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 04.02.2022  
Type of Stack : Coal Mill-2  
Laboratory reference No : S/132/2021-22

### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
17.32  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)



## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 10.02.2022  
Type of Stack : Cooler E.S.P-1  
Laboratory reference No : S/139/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
26.85  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

(Ujjwal Anurag)



**STACK ANALYSIS REPORT**


Name of sampling Location : MCL, Thangskai  
Date of Sampling : 11.02.2022  
Type of Stack : Cooler E.S.P-2  
Laboratory reference No : S/140/2021-22

**Parameters:**

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
  
27.81  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 07.02.2022  
Type of Stack : Cement Mill No-1  
Laboratory reference No : S/135/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$

22.88  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)



## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT


Name of Sampling Location : MCL, Thangskai  
Date of Sampling : 07.02.2022  
Type of Stack : Cement Mill No-2  
Laboratory reference No : S/136/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
19.02  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 05.02.2022  
Type of Stack : Packing Plant-1  
Laboratory reference No : S/133/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
11.27  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : 05.02.2022  
Type of Stack : Packing Plant-2  
Laboratory reference No : S/134/2021-22

#### Parameters:

1) Particulate Matter (PM):  $\text{mg/Nm}^3$   
17.72  $\text{mg/Nm}^3$

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Checked & Verified by

(Ujjwal Anurag)



## MEGHALAYA CEMENTS LIMITED

### STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai  
Date of Sampling : -  
Type of Stack : C.P.P.  
Laboratory reference No : S/143/2021-22


#### Parameters:

- 1) Particulate Matter (PM): - mg/Nm<sup>3</sup>  
2) Oxides of Sulfur (as SO<sub>2</sub>): - mg/Nm<sup>3</sup>  
3) Oxides of Nitrogen (NO<sub>x</sub>): - mg/Nm<sup>3</sup>

(Note – Captive Power Plant stopped due shutdown)

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.3305 (E) dated 07<sup>th</sup> Dec'2015.

Checked & Verified by

  
(Ujjwal Anurag)

CIN- U26942ML2003PLC007125



To,

Date: 08.03.2022

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month February'2022 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
R.K. Pareek  
(President)



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangshai, P.O. & P.S. Lumshong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666



## PROCESS FUGITIVE EMISSION TEST RESULTS

February'2022

Date of Testing	Location	Fugitive Emission Results for SPM ( $\mu\text{g}/\text{m}^3$ )	As per the Standard Limit ( $\mu\text{g}/\text{m}^3$ )
21.02.2022	Lime stone Storage Area	2201	5000
22.02.2022	Coal Storage Area	1117	2000
23.02.2022	Clinker Loading Area	2085	5000
23.02.2022	Cement Loading Area	2177	5000
25.02.2022	Coal Storage Area (CPP)	625	2000
25.02.2022	Fly Ash Silo Area (CPP)	545	2000

Checked & Verified by

  
(Ujjwal Anurag)



# MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



**TOPCEM**  
**CEMENT**

Mazbooti ka bharosa...hamesha

To,

Date: 08.03.2022

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the water consumption report of 2600 TPD Cement Manufacturing Plant for the month of February'2022.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
R.K. Pareek  
(President)



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel : 033 2334 0886 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangskai, P.O. & P.S. Lumshnong  
District: East Jaintia Hills, Meghalaya, PIN: 793210  
Tel : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666



# MEGHALAYA CEMENTS LIMITED

## FORM - I

(See Rule 4)

Return: Water consumed during the month of February '2022

Name and Address of the consumer	Purpose for which water consumed	Source Tube Well River etc	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of the calendar month under report	Quantity of water consumed in Kilolitres	If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	Quantity of water qualifying for rebate according to the assesses	Remarks (*)
1	2	3	4	5	6	7	8	9
MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshong Pin No 793210 Jaintia Hills - MEGHALAYA	Domestic purpose	River	(a) 396436 (b) 017578 (c) 768021	(a) 399453 (b) 018473 (c) 775620	11,511	-	-	Qty. of water consumed from river water = 11,511 + 15,879 = 27,390 KL
	Industrial cooling	River	a) 049128 b) 367284 c) 554163	a) 069318 b) 371367 c) 568772	15,879	-	-	Qty of water returned = 22,106 + 897 = 23,003 KL
	Industrial Purpose	-	-	-	Nil	-	-	-

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

**Note:** (1) Initial reading of the return line flow meter at the beginning of the month = 2,533,410

Final reading of the return line flow meter at end of month

(2) Initial reading of S.T.P flow meter at the beginning of the month = 85,943

Final reading of S.T.P flow meter at the end of the month = 86,840

2/555/516



OL



**MEGHALAYA CEMENTS LIMITED**

CIN- U26942ML2003PLC007125



**TOPCEM**  
**CEMENT**  
Mazbooti ka bharosa...hamesha

To,

Date: 08.03.2022

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of 10 MW Captive Power Plant for the month of February'2022.

Month

Water Consumption


February'2022

0.00 m3

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
R.K. Pareek  
(President)



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangakai, P.O. & P.S. Lumshnong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666



ole



**TOPCEM**  
**CEMENT**  
Mazbooti ka bharosa...hamesha

**MEGHALAYA CEMENTS LIMITED**

**CIN- U26942ML2003PLC007125**

Ref: MCL/Comm/MsPCB/2021-22/256

Date: 08.03.2022

To,  
The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad  
Shillong, Meghalaya

**Sub: - Payment of fee towards renewal of Consent to Operate for our 2600 TPD Cement Manufacturing Plant (both Cement & Clinker)**

Dear Sir,


With reference to the above, we are hereby submitting Demand Draft No. 251917 dated, 08.03.2022 valued ₹ 5,00,000.00 (Rupees five lakhs only) towards payment of fee for renewal of Consent to Operate for our 2600 TPD Cement Manufacturing Plant (both Cement & Clinker) which is valid upto 31<sup>st</sup> March'2022.

Further we wish to inform you that your good-office has amended vide letter No. MPCB/CON-86(2016)2021-2022/54 dated 2<sup>nd</sup> March'2022 in our existing CTO that "For operating a 2600 TPD Cements Manufacturing Plant with production capacity not exceeding 2600 TPD or 8,58,000 MTPA (based on 330 working days) of both Clinker and Cement." The amendments copy is enclosed for your ready reference. We therefore request you kindly mention the same in our renewed Consent to operate.

We hope you will consider our request and renew the CTO at the earliest.

Thanking you,

Yours faithfully,  
For Meghalaya Cements Limited,

  
(R.K. Pareek)  
President



Encl: - Original Demand Draft of ₹ 5,00,000/-



ISO 9001:2015 & 14001:2015  
50001:2011 Certified Company

**Sales & Marketing Office :**  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

**Kolkata :**  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

**Registered Office :**  
Village: Trangsal, P.O. & P.S. Lumshing  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : +91 89742 17766 / 70850 58459 / 98625 09509  
E-mail : meghalaya@topcem.in



**HELPLINE NO : 18001233666**

No. MPCB/CON-86(2016)/2021-2022/ 54

Dtd: Shillong, the 2nd March, 2022

Amendments of the Consent to Operate

In partial modification of the Consent to Operate granted vide T.O. No. MPCB/TB-86(2016)/2018-2019/22 dated 18<sup>th</sup> May 2018 to M/s MEGHALAYA CEMENTS LTD. located at Thangskai Village, East Jaintia Hills District, the following amendments are hereby made to conform with the amendments of the Environmental Clearance issued by the State Environment Impact Assessment Authority (SEIAA) vide No. ML/SEIAA/PROJECT-2/2007/937, dtd: 24/11/2021.

In 1<sup>st</sup> para, the words- "*For operating a 2600 TPD Cements Manufacturing Plant*" shall be read as "*For operating a Cements Manufacturing Plant with production capacity not exceeding 2600 TPD or 8,58,000 MTPA (based on 330 working days) of both Clinker and Cement*".

The validity and the terms and conditions of the Consent shall remain the same.

  
MEMBER SECRETARY  
Meghalaya State Pollution Control Board  
Shillong

Copy to:-

1. The Director of Commerce & Industries, Meghalaya, Shillong for kind information.
- ✓ 2. M/S MEGHALAYA CEMENT LTD., Thangskai village, Jaintia Hills District for information.
3. Guard File CTO-2022



जारी करने वाली शाखा  
Issuing Branch: SHILLONG BRANCH  
कोड नं. / CODE No: 04462  
Tel No. 03655-263851

A/C Payee

मांगड्राफ्ट  
DEMAND DRAFT

Key: VUJGAP  
Sr. No: 111230

0803202  
D D M M Y Y Y

मांगे जानेपर MEMBER SECRETARY MEGHALAYA STATE POLLUTION CONTROL BOARD\*\*\*

ON DEMAND PAY

Five Lakh Only

या उनके आदेश  
OR ORDER

रुपये RUPEES

अदा करें ₹ 500000.00

IOI 000455251917  
Name of Applicant

Key: VUJGAP Sr. No: 111230  
MEGHALAYA CEMENTS LIMITED

AMOUNT BELOW 500001(0/6)

मूल्य प्राप्त / VALUE RECEIVED

भारतीय स्टेट बैंक

STATE BANK OF INDIA

अदाकर्ता शाखा / DRAWEE BRANCH: SHILLONG

कोड नं. / CODE No: 00181

कम्प्यूटर द्वारा मुद्रित होने पर ही वैध  
VALID ONLY IF COMPUTER PRINTED

केवल 3 महीने के लिए वैध  
VALID FOR 3 MONTHS ONLY

प्रमाणित हस्ताक्षर  
AUTHORISED SIGNATORY  
S-28191

भारतीय स्टेट बैंक  
BRANCH MANAGER

₹ 1,50,000/- से अधिक के निशान दो अधिकारियों द्वारा हस्ताक्षरित होने पर ही वैध  
INSTRUMENTS FOR ₹ 1,50,000/- & ABOVE ARE NOT VALID UNLESS SIGNED BY TWO OFFICERS

Hiranya Kanta

PF: 7430744

SS No: K-15203

⑈ 251917⑈ 0000020001⑈ 000455⑈ 16

MEGHALAYA STATE POLLUTION CONTROL BOARD  
SOUTH TRUNGAD, SHILLONG - 793014

PHONE : 0364 - 2521533, 2522802, 2521514, 2522726

TELEFAX : 0364 - 2521217, 2521764

255

043

Book No. ....

Receipt No. ....

Date 10/03/2022

Received from Meghalaya Cement Ltd

a sum of Rupees Five Lakhs Only

vide Demand Draft No./Cheque No./Bankers Cheque No./Cash 251917

DL 08/03/2022

on account of RC TO (2600 TPD Cement Manufacturing Plant (both Cement & Clinker))

₹ 500000

for Secretary