

To,

Sir.

The Member Secretary,

Pollution control Board of Assam, Bamunimaidan, Guwahati - 21

April 2019 to September 2019)

(Sub:- Submission of Half Yearly Comp

soft copy) for the period from (Environmental Stipulations for Expansi-1000 TPD), Cement Grinding Unit at D 27 & 41, Village – Bhamoraguri, Ga Division Samaguri, Nagaon by M/s Clearance Letter No. SEIAA.47/2013/78

acknowledge the receipt of the same.

We are hereby furnishing the half yearly co

## K

Corporate Office : 2nd Floor, Subham Velocity, Wa :- +91 - 361 - 2344211, 2344212, e-mail : info.c

E3001462/COTW [UR:670380146272 SP MISSA 6.0 (782138) Counter Heal,17/12/2019,11118 To:THE JOINT DIRECTOR,5HILLOWN PIN:773721, Manusriting 5.0 Fromth's NO CEMENTS,84804/6484

atiotzaktasan resiasan Orask on wekindingastogovia <mark>enzilereno</mark> okai 1800 oka 4868

India Post

गरतीय ग्रक

India Pos

ESRO-462803IN 1VR:6783801467805 SP MISSA 5.0 < 7821380 Counter Host, 17/12/2019,11:19 Toglin MEMBER SECY,OHY PIN:781021, Bammysaiden G.O From:N/S NO CEMENTS.RAWGAGANA WILLEGORS

Awt:41.30(Eash)Tax:6.30

(Track on www.thdiapost.gov.1 antalerato

भारतीय हाक

ESB0144288AIN EVR.488380145240 SP MISSA S.D.4781180 Counter MortyP-12/2019,11:20 TorTHE MORES SECT.687 FEM:781071, Demontralidan S.D. FrontKO CEMENTS,RANGAGNA B1:180gas

This is for your kind information and perusal. You are requested to kindly

Thanking you.

Yours faithfully
For K.D.Cements

(Authorised Signatory)

. Encl:- As stated above

Copy to:-

(1) The MoEF, North Eastern Regional Office, Shillong, Meghalaya.

(2) The Member Secretary, State Environment Impact Assessment Authority, Assam

(3) The Senior Environmental Engineer, Regional Office, Assam Pollution Control Board, Nagaon (Assam) Half yearly Compliance Report for the period from April 2019 to September 2019 on Environmental Stipulations for Expansion of Cement Plant (from 500 TPD-1000 TPD), Cement Grinding Unit at Dag. No. 292,287,286,296, Patta No. 27 & 41, Village – Bhamoraguri, Gaon Panchayat – Kuhumtali, Sub- Division Samaguri, Nagaon by M/s K.D. Cements – Environmental Clearance Letter No. SEIAA.47/2013/78 dated 25<sup>th</sup> March 2014

	o. as per letter dated 25 <sup>th</sup> March' 2014 of Environment Impact Assessment ority	Action to be taken	Compliance
SPEC	TIFIC CONDITIONS		
(1)	Other necessary statutory clearances from the concerned Departments including 'No Objection Certificate' from the Pollution Control Board, Assam shall be obtained.	The company has obtained necessary statutory clearance certificate from the concerned department and got 'NOC' from the Pollution Control Board Assam.	Complied
(2)	Cement Grinding should be carried out in closed cement mill and stack emissions from various sources shall not exceed 50 mg/Nm3. As proposed, cyclone separator followed by reverse pulse jet type bag filter shall be provided along with stacks of adequate height as per the CPCB guidelines to control gaseous emission below 50 mg / Nm3. Stacks of adequate height shall be provided to DG sets. Continuous on — line monitors for particulate emissions shall be installed in stacks. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit (s) is shut down automatically.	Cement grinding is being carried out in closed circuit cement mill and reverse pulse jet type bag filter has been provided to maintain the stack emission limit as per the guideline of CPCB. An adequate height has provided to cement mill and D.G. Set as well. On-line CEMS for particulate emission has installed in stack. Interlocking facility is also provided in the pollution control equipment. All the conditions are being followed by the project proponent.	Complied With. Adequate heights of stacks are being maintained and CEMS for continuous monitoring of dust is provided.
(3)	Ambient air quality monitoring stations (AAQMS) shall be set up as per requirement in consultation with the SEIAA Assam, Assam Pollution Control Board (ASPCB). Ambient air quality including ambient noise monitoring shall be carried out regularly in consultation	AAQ monitoring station has been set up as per the guideline given by ASPCB. All the monitoring works such as AAQ, Noise, Stack & fugitive are being carried out and the report are maintained accordingly and are submitted to respective	Complied With.  AAQ monitoring station has provided, as per the guideline.



	with SEIAA Assam and must not exceed the standards stipulated under EPA. Monitoring reports for ambient air, stack and fugitive emissions shall be submitted to the SEIAA, Assam, Regional Office MOEF at Shillong and PCB, Assam half-yearly. The instruments used for ambient air quality monitoring shall be calibrated time to time.	calibration is being done time to time for the instruments used for AAQ.	
(4)	The company shall install adequate dust collection and extraction system to control fugitive dust emissions at loading / unloading points and all the transfer points. Dust extraction systems comprising of hoods, ducts, bag house, ID Fans and exhaust ducts shall be provided to control the dispersion of fugitive dust. Bag filters shall be provided for de-dusting of storages and auxiliaries in different departments to control fugitive emissions. Fugitive dust emissions from all the sources including storage areas shall be collected in bag filters and recycled back to the process. Storage of raw material shall be in closed roof sheds. Water sprinkling arrangement shall be made in the raw material stock yard and cement bag loading areas.	nuisance bag filters for controlling the fugitive dust emission at particular places. The dust collected is being recycled back in the process. A closed roof shade has been constructed for the storage of raw	Complied With.  Nuisance bag filters has provided to mitigate the fugitive dust emission. Water sprinkling is being done to control fugitive dust emission
(5)	Asphalting/Concreting of roads and water spray all round the stock yard and loading / unloading areas in the cement plant shall be carried out to control fugitive emissions. Regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM and RSPM such as haul road, loading and unloading points, transfer points and other vulnerable areas. It's shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	In order to control fugitive dust emission, regular water sprinkling is being done in all over the plant premises and especially in critical dust prone areas for maintaining the standard limit given by the CPCB. The company has completed at least 70% of concreting of internal road of factory premises.	Complied With.  Water sprinkling is being done to control fugitive dust emission

(6)	Efforts shall be made to reduce impact of transport of the raw materials and end products on the surrounding environment including agricultural land. All the raw materials should be transported in the closed containers only and should not be overloaded. Vehicular emissions shall be regularly monitored and comply standard limit.	The company assures that all the raw materials/ products are transported with proper precautions and vehicular emission is being monitored regularly.	Complied With
(7)	Total ground water requirement for the cement plant shall not exceed 16m3 /day. Clarifier and sludge pond shall be provided for removal of suspended solids. Oil and grease shall be removed from the contaminated water by means of oil traps and skimming devices. Treated wastewater shall be utilized for dust suppression and green belt development inside - the plant premises. No liquid effluent shall be discharged from the process outside the premises and all the treated wastewater shall be utilized for green belt development and other plant related activities 'Zero' effluent discharge shall be maintained. Domestic wastewater shall be treated through septic tank and dispose off through soak pit.	Company ensures that total ground water consumption will not exceed form 16 m³/day for industrial and domestic process. Company will comply 'Zero' discharge, The domestic waste water is being treated and dispose off through soak pit Hence the mentioned limit is maintained.	Complied With.  Water consumption is being monitored on regular basis.
(8)	Prior 'Permission' for drawl of additional quantity of 4m3 /day ground water from the State Ground Water Board / Central Ground Water Authority (SGWB / CGWA) shall be obtained and a copy submitted to the SEIAA, Assam within 3 months of issue of environmental clearance letter.		Agreed to complied With
(9)	Solid waste viz dust generated from air pollution control equipments shall be properly recycled and reutilized in the cement plant itself. No solid waste shall be discharged from the grinding unit. Treated domestic sludge shall be used as manure for green belt development. Used/ spent oil shall be sold to authorized recyclers / preprocessors.	Solid waste generated from the air pollution control equipment are properly recycled and reutilized in the plant itself. No solid waste is discharged and treated domestic sludge is used as manure for green belt development.	Complied With  Solid waste from pollution control equipment is being utilized with raw materials.



(10)	As proposed, green belt shall developed in 7,548 m <sup>2</sup> (33%) out of total 22,872 m <sup>2</sup> area mitigate the impact of fugitive emissions in an around the expansion project as per the CPCB and action plan is to be submitted to SEIAA, Assam.	Development of green belt up to 33% of the project area i.e. 7,548 m3 of land is developed as green belt.	Complied With
(11)	All the recommendations mentioned in the Corporate Social Responsibility or Environmental Protection (CREP) shall be followed and complied.	The company abides to follow and comply all the recommendations mentioned in the CSR or CREP activities.	Complied with
(12)	Rain water harvesting measures shall be adopted. The Company must also harvest the rain water from the roof tops and storm water drains to recharge the ground water and used the same water for the various activities of the project to conserve fresh water. Action taken so far in this regard shall be intimated to SEIAA, Assam.	Rain water harvesting measure has taken by the company.	Complied with
(13)	Excess water along storm water during monsoon should not be discharged into the surrounding low lying area. The storm water during monsoon will be collected in a pond and after appropriate treatment shall be stored in a reservoir for use in plantation, dust suppression etc.	The company has excavated a pond for collection of excess water along storm water during monsoon and after appropriate treatment it is stored in reservoir for use in plantation and dust suppression etc.	Complied with
	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. 100% fly ash utilization shall be ensured as per fly ash notification of MoEF, Government of India. Utilized fly ash and bottom ash shall be stored in the ash pond separately through high concentration slurry disposal method. Mercury - levels along with other heavy metals (Pb, Cr, As, etc.) should monitored in the fly ash / bottom ash, leachates and effluents emanating from the ash pond. Ash pond shall be lined with HDPE / LDPE lining or any other suitable impermeable media such that no	Fly ash in dry form is being stored in closed storage facility and 100% fly ash is utilized in the process. Adequate safety measures are provided.  No wet fly ash is being utilized by the company.	Complied With
	leachate takes place at any point of time.  Adequate safety measures shall also be implemented to protect the ash dyke		



from getting breached.		
Adequate safety measures shall be provided in the plant area to check / minimize spontaneous fires in coal yard, especially during summer season. Details of these measures to be taken along with location plant layout shall be submitted to the SEIAA, Assam.	Safety manual and procedures are defined and well maintained to check any likely accidents/incidents.  Since, coal is not being used by company for manufacturing process, chances of spontaneous fires in coal is nil. For other fire accident adequate safety measures are implemented.	Complied With.
Storage facility for auxiliary liquid fuel such as LDO and HFO/LSHS shall be made in the plant area where risk is Minimum. On site and off site Disaster Management Plans shall be prepared to meet any eventuality in case of an accident taking place. Mock drills shall be conduct regularly and based on the same, modifications required, if any shall be incorporated in the Disaster Management Plan (DMP). Sulfur content in the liquid fuel will not exceed 0.5%.	Disaster management plan to meet the eventuality in case of accident has prepared and defined. Mock drill is being conducted regularly accordingly. Sulfur content of liquid fuel is also being monitored and maintained.	Complied With
Regular monitoring of ground water in and around the ash pond shall be carried out, records maintained and half yearly reports shall be furnished to the SEIAA, Assam.	As 100% dry fly ash is being utilized in the process and so no ash pond is required, therefore contamination of ground water due to wet ash is not possible.	Complied With
First aid and sanitation arrangements shall be made for the drivers and other contract workers.	First aid & sanitation arrangements are made for the workers.	Complied With
An Environmental Cell comprising of at least one expert in environmental science / engineering, occupational health and social scientist, shall be created at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It shall be ensured that the Head of the Cell shall directly report to the head of the organization and he shall be held responsible for implementation of environmental regulations and social impact improvement/ mitigation	The company has appointed an EHS officer to monitor and mitigate environmental measures.	Complied With
	provided in the plant area to check / minimize spontaneous fires in coal yard, especially during summer season. Details of these measures to be taken along with location plant layout shall be submitted to the SEIAA, Assam.  Storage facility for auxiliary liquid fuel such as LDO and HFO/LSHS shall be made in the plant area where risk is Minimum. On site and off site Disaster Management Plans shall be prepared to meet any eventuality in case of an accident taking place. Mock drills shall be conduct regularly and based on the same, modifications required, if any shall be incorporated in the Disaster Management Plan (DMP). Sulfur content in the liquid fuel will not exceed 0.5%.  Regular monitoring of ground water in and around the ash pond shall be carried out, records maintained and half yearly reports shall be furnished to the SEIAA, Assam.  First aid and sanitation arrangements shall be made for the drivers and other contract workers.  An Environmental Cell comprising of at least one expert in environmental science / engineering, occupational health and social scientist, shall be created at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It shall, be ensured that the Head of the Cell shall directly report to the head of the organization and he shall be held responsible for implementation of environmental regulations and social	Adequate safety measures shall be provided in the plant area to check / minimize spontaneous fires in coal yard, especially during summer season. Details of these measures to be taken along with location plant layout shall be submitted to the SEIAA, Assam.  Storage facility for auxiliary liquid fuel such as LDO and HFO/LSHS shall be made in the plant area where risk is Minimum. On site and off site Disaster Management Plans shall be prepared to meet any eventuality in case of an accident taking place. Mock drills shall be conduct regularly and based on the same, modifications required, if any shall be incorporated in the Disaster Management Plan (DMP). Sulfur content in the liquid fuel will not exceed 0.5%.  Regular monitoring of ground water in and around the ash pond shall be carried out, records maintained and half yearly reports shall be furnished to the SEIAA, Assam.  First aid and sanitation arrangements shall be made for the drivers and other contract workers.  An Environmental Cell comprising of at least one expert in environmental science / engineering, occupational health and social scientist, shall be created at the project site itself and shall be headed by an officer of appropriate superiority and qualification. It shall, be ensured that the Head of the Cell shall directly report to the head of the Cell shall directly report to the head of the Cell shall directly report to the head of the organization and he shall be held responsible for implementation of environmental regulations and social

(20)	The company shall provide housing for labour within the site with all necessary infrastructure and facilities such as fuel for cooking, toilets, STP, Safe drinking water, medical health care, etc.	step in this regards by constructing a residential colony, medical health	Complied With
	Autor, medical nearth care, etc.		

## A. GENERAL CONDITIONS

In respect of the Cement Grinding Unit the following general conditions shall be adhered to the project proponent:

(1)	The project authority must adhere to the stipulations made by Pollution Control Board (Assam) and State Government.	The company adheres the stipulation made by PCB Assam & state government	Agreed for compliance.
(2)	No further expansion or modification of the plant shall be carried out without prior approval of SEIAA, Assam.	The company assures that no further expansion or modification of plant shall be carried out without prior approval of SIEAA.	Agreed for compliance.
(3)	At least four ambient air quality — monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of PM25, PM10, SO2 and Nox are anticipated in consultation with the SEIAA, Assam, and PCB Assam. Data on ambient air quality and stack emissions shall be regularly submitted to this SEIAA, Assam, Regional Office, MoEF at Shillong once in six months.	As per the guidelines of PCB Assam, AAQ/Stack emission monitoring is being carried out on regular basis and the reports are submitted to respective boards on half yearly basis.	Complied with
(4)	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	There is no generation of industrial waste water in our plant premises.	Complied With



(5)	The overall noise levels in and around the plant area shall be kept well within the standards (75dBA in day time) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under Environmental (Protection) Act,1986 Rules, viz 75dBA (day time) and 70dBA(night time)	monitored and are kept within the standard prescribed limit as specified under EPA 1986.	
(6)	Proper housekeeping and adequate occupational health programmes must be taken up. All the persons working in the sensitive areas shall wear protective covers. Occupational Health Surveillance programme shall be done on a regular basis and records maintained. The programme must include lung function and sputum analysis test once in six month.	The company has provided PPE's for all workers/staffs working in the company. Health surveillance program are organized time to time.	Complied With
(7)	The company shall undertake eco- development measures including community welfare measures in the project area.	The company assures to undertake all the necessary eco-development measures in the project area.	Complied With
8)	The Project Proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP.	The PP complies all the environmental protection measures and safeguards recommended in EIA/EMP.	Complied With
9)	A separate environmental management cell with full fledged laboratory facilities to carry out various management and monitoring functions shall be set up under the control of Senior Executive.	The company will adopt the prescribed system very soon.	Partially complied with



(10)	Adequate funds shall be earmarked towards capital cost and recurring cost/annum for environmental pollution control measures and judiciously utilized for the implementation of conditions stipulated by the Ministry of Environment and Forests as well as the State Govt. The funds so provided shall not be diverted for any other purposes.	The company has managed the separate accounts for the fund of the environmental protection and aspects. The detailed expenditure is submitted to concerned board time to time.	Complied With
(11)	The SEIAA, Assam shall monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	The compliance report and the monitored data along with statically inter predation will be submitted to SIEAA, Assam on half yearly basis.	Complied With
(12)	The Project Authorities shall inform the SEIAA. Assam as well as the RO MoEF, the date of the financial closure and final approval of the project by the concerned authorities and the date of commencing the expansion project.	The company assures that before commencing the expansion project, prior information would be given to SIEAA. Assam as well as RO MoEF respectively.	Agreed for compliance.
(13)	The Project Proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA, Assam and will be seen at Website of the SEIAA, Assam.	The company has given advertisement of EC Clearance to the local news paper and also mentioned that it could be seen at website of the SEIAA, Assam.	Complied With
(14)	The SEIAA, Assam or any competent authority may stipulate any further condition(s) on receiving reports from the project authorities. The above conditions shall be monitored by the SEIAA, Assam.	The company agrees to the stipulated conditions.	Agreed for compliance.
•	The SEIAA, Assam may revoke or suspend the clearance if implementation of any of the above conditions is not satisfactory.	The company agrees to comply all the condition stipulated in the EC.	Agreed for compliance.



(15)	Any other conditions or alteration in the above conditions shall have to be implemented by the project authorities in a time bound manner.	The company ensures that it will implement any change in the given time bound.	Agreed for compliance,
(16)	The Proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the SEIAA, Assam and RO of MoEF. The criteria pollutants levels namely; PM <sub>10</sub> , PM <sub>25</sub> , SO <sub>2</sub> , Nox, etc.( ambient level as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	The company uploads the status of compliance of the stipulated EC condition including results of monitored data on the company website time to time.	Complied With
(17)	The above conditions shall be enforced, inter-alia under the provisions of the Water Act, 1974 the Air Act, 1981 the Environment Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	The company abides that it will enforce the above conditions.	Complied With

