

de



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 06.12.2022

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report for the month of November'2022 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

MEGHALAYA CEMENTS LIMITED

AMBIENT AIR QUALITY SURVEY

Location of sampling		MCL, Thangskai			
Date of sampling		03.11.2022 & 04.11.2022			
Distance between the industry and sampling Location		100.0 meters 20.00 meters 25.00 meters 10.00 meters			
Time duration of sampling		48 hrs			
Weather		Clear			
Total Rainfall, mm(On Date)		0.00 mm			
Ambient Temperature(⁰ C):					
Maximum:		26.98			
Minimum:		16.12			
Relative Humidity (%):					
Maximum:		88.32			
Minimum:		61.18			
Wind direction		→ S(193.95)			
Pollutants	Analysis results				Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.				
	1)Opposite Guest house A/29/2022-23	2)Near L/S Crusher A/30/2022-23	3)Near Substation (DW Direction) A/31/2022-23	4) Near CCR Building A/32/2022-23	
	24 hrs.	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM ₁₀ (µg/m ³)	41.36	43.84	54.95	46.07	100µg/m ³
Suspended Particulate Matters PM _{2.5} (µg/m ³)	22.09	27.81	36.47	32.28	60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by
(Arti Singh)

Checked & Verified by
(Ujjwal Anurag)

Regd. Office and Works: Village Thangskai, P.O. Lumshnong, Dist - East Jaintia Hills, Meghalaya Pin-793210 Ph:03655-278324/363/364 Corporate Office: BE-77, Salt Lake City, Sector - 1, Kolkata - 700 064, Ph:033 23340666/0004, Fax: 03655 278327

MEGHALAYA CEMENTS LIMITED

CPP AMBIENT AIR QUALITY SURVEY

Location of sampling	CPP, MCL, Thangskai		
Date of sampling	07.11.2022		
Distance between the industry and sampling Location	25.0 meters 25.0 meters 25.0 meters		
Time duration of sampling	24 hrs		
Weather	Clear		
Total Rainfall, mm(On Date)	0.00 mm		
Ambient Temperature(⁰ C):			
Maximum:	27.37		
Minimum:	15.15		
Relative Humidity (%):			
Maximum:	88.37		
Minimum:	46.82		
Wind direction	→S(199.03)		
Pollutants	Analysis results		
	Station No. & Air Quality Survey No.		
	1)Old Yard side S to E B/22/2022-23	2)Labour colony side S to W B/23/2022-23	3)JUNGLE Side N to E B/24/2022-23
	24 hrs.	24 hrs.	24 hrs.
Suspended Particulate Matters PM ₁₀ (µg/m ³)	26.59	20.64	32.82
Suspended Particulate Matters PM _{2.5} (µg/m ³)	15.90	12.28	19.73
			Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
			100µg/m ³
			60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai

Date of Sampling : 07.11.2022

Type of Stack : Coal Mill-1

Laboratory reference No : S/92/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3

26.78 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 03.11.2022
Type of Stack : Coal Mill-2
Laboratory reference No : S/93/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3

25.92 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 08.11.2022
Type of Stack : Packing Plant-1
Laboratory reference No : S/94/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3

13.04 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)


MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 09.11.2022
Type of Stack : Packing Plant-2
Laboratory reference No : S/95/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3

11.38 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by




(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 09.11.2022
Type of Stack : Cement Mill No-1
Laboratory reference No : S/96/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3
18.26 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by



(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of Sampling Location : MCL, Thangskai
Date of Sampling : 17.11.2022
Type of Stack : Cement Mill No-2
Laboratory reference No : S/97/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3
15.30 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 10.11.2022
Type of Stack : Primary Crusher
Laboratory reference No : S/98/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3
12.31 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 10.11.2022
Type of Stack : Secondary Crusher
Laboratory reference No : S/99/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm³

11.49 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 14.11.2022
Type of Stack : Cooler E.S.P-1
Laboratory reference No : S/100/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3
27.26 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 15.11.2022
Type of Stack : Cooler E.S.P-2
Laboratory reference No : S/101/2022-23

Parameters:

1) Particulate Matter (PM): mg/Nm^3
29.80 mg/Nm^3

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anrag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 04.11.2022
Type of Stack : Kiln & Raw Mill (RABH-1)
Laboratory reference No : S/102/2022-23

Parameters:

- 1) Particulate Matter (PM) : 10.82 mg/Nm³
- 2) Oxides of Sulfur (as SO₂): 721.69 mg/Nm³
- 3) Oxides of Nitrogen (NO_x): 243.58 mg/Nm³


Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 05.11.2022
Type of Stack : Kiln & Raw Mill (RABH-2)
Laboratory reference No : S/103/2022-23

Parameters:

- 1) Particulate Matter (PM): 09.93 mg/Nm³
- 2) Oxides of Sulfur (as SO₂): 703.59 mg/Nm³
- 3) Oxides of Nitrogen (NO_x): 249.64 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai

Date of Sampling : -

Type of Stack : C.P.P.

Laboratory reference No : S/104/2022-23

Parameters:

1) Particulate Matter (PM): - mg/Nm³

2) Oxides of Sulfur (as SO₂): - mg/Nm³

3) Oxides of Nitrogen (NO_x): - mg/Nm³

(Note - Stop Due to Maintenance)

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.3305 (E) dated 07th Dec'2015.

Prepared by


(Arti Singh)

Checked & Verified by


(Ujjwal Anurag)



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 06.12.2022

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Ambient Air Quality Survey report for the month of November'2022 for Limestone mining for an area of 31.05 Ha, at South Khliehjeri.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666



M/s MEGHALAYA CEMENTS LIMITED

AMBIENT AIR QUALITY SURVEY


MCL/ENV/LSM-AAQM/2022-23

Location of sampling	South Khliehji Limestone Mine (31.05 Ha)
Date duration of sampling	10.11.2022 to 11.11.2022
Time Duration of sampling	48 hours
Weather	Clear
Total Rain Fall, mm (On Date)	00.00 mm
Ambient Temperature (°C) :	Max. - 27.15°C, Min. - 15.41°C
Relative Humidity (%) :	Max. - 70.94%, Min. - 40.31%
Wind direction	→S (196.52°)

Pollutants	Analysis Results			Permissible Limits for Rural Areas (By MSPCB 24 hrs Monitoring)
	Station No. & Air Quality Survey No.			
	A1. North -East (Near Soil Dump) D/70/2022-23	A2. North - West (Near Haul Road) D/71/2022-23	A3. Southern side (Near Lease Boundary) D/72/2022-23	
	48 hrs.	48 hrs	48 hrs	
Particulate Matters PM10 (µg/m³)	34.68	41.72	30.86	100
Particulate Matters PM2.5 (µg/m³)	21.46	24.34	18.20	60

Remarks : The Parameters analysed were found to be within the permissible Limits of Ambient Air Quality Standards (National) for Rural Areas as per EPA Notification GSR 176, April 1996.

Prepared by


(Arti Singh)

Checked & Verified By

(Ujjwal Anurag)





MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 06.12.2022

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month November'2022 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

MEGHALAYA CEMENTS LIMITED


PROCESS FUGITIVE EMISSION TEST RESULTS


November'2022

Date of Testing	Location	Fugitive Emission Results for SPM ($\mu\text{g}/\text{m}^3$)	As per the Standard Limit ($\mu\text{g}/\text{m}^3$)
15.11.2022	Lime stone Storage Area	2064	5000
15.11.2022	Coal Storage Area	1153	2000
17.11.2022	Clinker Loading Area	1968	5000
17.11.2022	Cement Loading Area	2149	5000
25.11.2022	Coal Storage Area (CPP)	1128	2000
25.11.2022	Fly Ash Silo Area (CPP)	1034	2000

Prepared by


(Arti Singh)

Checked & Verified by

(Ujjwal Anurag)



B/C



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 06.12.2022

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of **10 MW Captive Power Plant** for the month of **November'2022**.


<u>Month</u>	<u>Water Consumption</u>
November'2022	0.00 m3

(Note-Stop due to Maintenance)

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666



dlc



MEGHALAYA CEMENTS LIMITED

CIN- U26942ML2003PLC007125



To,

Date: 06.12.2022

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the water consumption report of 2600 TPD Cement Manufacturing Plant for the month of November'2022.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


R.K. Pareek
(President)



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

MEGHALAYA CEMENTS LIMITED

FORM - I

(See Rule 4)

Return: Water consumed during the month of November'2022

Name and Address of the consumer	Purpose for which water consumed	Source Tube Well River etc	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of the calendar month under report	Quantity of water consumed in Kilolitres	If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	Quantity of water qualifying for rebate according to the assesses	Remarks(*)
1	2	3	4	5	6	7	8	9
MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshnong Pin No 793210 Jaintia Hills - MEGHALAYA	Domestic purpose	River	(a) 422639 (b) 033012 (c) 825477	(a) 424540 (b) 035272 (c) 828696	7,380	-	-	Qty. of water consumed from river water = 7,380 + 12,507 = 19,887 KL
	Industrial cooling	River	a) 183900 b) 098862 c) 673732	a) 197790 b) 111121 c) 685941	12,507	-	-	Qty of water circulation & returned = 20,718 + 5133 = 25,851 KL
	Industrial Purpose	-	-	-	Nil	-	-	-

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

Note: (1) Initial reading of the return line flow meter at the beginning of the month = 2,696,098
Final reading of the return line flow meter at end of month = 2,716,816

(2) Initial reading of S.T.P flow meter at the beginning of the month = 110,217
Final reading of S.T.P flow meter at the end of the month = 115,350



Name of Customer
Address