

MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 09.11.2024

The Member Secretary, Meghalaya State Pollution Control Board, 'Arden' Lumpyngngad, Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality Survey report, Ambient Noise Survey report and Water Analysis report for the month of **October'2024** for Limestone mining for an area of 31.05 Ha, at South Khliehjeri.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

PHONE THIND

Authorized Signatory





Sales & Marketing Office: Mega Plaza, 4th Floor, Christian Basti G.S. Road, Guwahati - 781 005 Tel.: 0361 2345421/22/23, Fax: 0361 2345419 E-mail: guwahati@topcem.in Web::www.topcem.in

HELPLINE NO: 18001233666

Kalkata :

BE-77, Salt Lake City Sector-1, Kolkata - 700 064 Tel.: 033 2334 0666 / 0004 Fax: 033 2334 0505 E-mail: kolkata@topcem.in Registered Office: Village: Thangskai, P.O. & P.S. Lumshnong District: East Jaintia Hills, Meghalaya, PIN: 793210 Tel.: 03655 278324 / 363 / 364

Fax: 03655 278327 E-mail: meghalaya@topcem.ir





Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph. 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/AA-10/01 Date: 07/11/2024 Report Issued To: MEGHALAYA CEMENTS LIMITED

Village: Thangskai, PO: Lumshnong, Meghalaya

Order No.: 4700032340 Date: 21/10/2024

AMBIENT AIR QUALITY TEST RESULTS

LOCATIONS	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)	NH ₃ (µg/m³)	(m/gm)	О ₃ (µg/m³)	B(a)P (ng/m³)	С _. Н. (µg /m³)	Ni (ng/m³)	As (ng/m³)	Рb (µg/m³)
LIMITS -	1.	60 (24 hrs. Average)	100 (24 hrs. Average)	80 (24 hrs. Average)	80 (24 hrs. Average)	400 (24 hrs. Average)	4.0 (1 hr. Average)	180 (1 hr. Average)	1.0 (Annual Average)	5.0 (Annual Average)	20 (Annual Average)	6.0 (Annual Average)	1.0 (24 hrs. Average)
Near Residential Colony	22.10.2024	27.6	9.78	6.2	7.6	<5.0	<0.01	<1.0	<0.1	<0.01	<0.01	<0.01	<0.01
Wahiajer Village	23.10.2024	23.1	43.8	5.8	7.2	<5.0	<0.01	<1.0	<0.1	<0.01	<0.01	<0.01	<0.01

Analysis Protocol: IS 5182





Checked By: Pankaj Baroi, ENVIROCON

TE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full without the written permission of ENVIROCON, I.O.CL (AOD) New Market, Digboi - 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIP), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Recognised By **Pollution Control Board, Assam** Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/AA-10/02

: 07/11/2024

Order No.: 4700032340

Date

:21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

Sl. No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	Near Soil Dump	22.10.2024	35.3	63.8	7.7	8.1
02	Near Haul Road	22.10.2024	36.2	67.2	8.6	9.4
03	Near Lease Boundary	22.10.2024	33.8	61.3	7.3	7.7

Analysis Protocol: IS 5182





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



<u>Recognised By</u>
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/N-10/02

Date

:07/11/2024

Order No.: 4700032340

Date

:21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

E-mail: envirocon@rediffmail.com

		Date	Day	time	Night	Time
Sl. No.	Location(s)	Of Measurement	L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Mines Haul Road	22.10.2024	68.6	75	62.7	70
2	Near Soil Dump	22.10.2024	64.5	75	59.5	70
3	Near Lease Boundary	22.10.2024	65.9	75	64.6	70





Checked By: Mr. Pankaj Baroi, ENVIROCON

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



<u>Recognised By</u>
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SW-10/01

Date

:07/11/2024

Order No.: 4700032340

Date

:21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: MCL/2024/SW-2510/01

Sample Source : Um-Lunar River Upstream

Sample Type : Surface Water

Collected On : 25-10-2024

Received On : 28-10-2024

Collected By: Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit ^a in the Absence of Alternate Source
1.	Colour, Hazen Units, Max.	15	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Temperature	24.6		-
4.	pH Value	6.68	6.5 - 8.5	No Relaxation
5.	Suspended Solids	43		
6.	Total Dissolved Solids, mg/l, Max.	129	500	2000
7.	Conductivity, µS/cm	182		
8.	Dissolved Oxygen, mg/l, Min.	6.4		
9.	Biochemical Oxygen Demand, mg/l, Max.	<1.0		-
10.	Chemical Oxygen Demand, mg/l, Max.	27		
11.	Oil and Grease, mg/l, Max.	<4.0		
12.	Residual Chlorine, mg/l, Min.	<0.01	0.2	1
13.	Total Hardness (as CaCO ₃), mg/l, Max.	8.4	200	600
14.	Calcium (as Ca), mg/l, Max.	26	• 75	200
15.	Magnesium (as Mg), mg/l, Max.	9	30	100
16.	Iron (as Fe), mg/l, Max.	<0.001	0.3	No Relaxation
17.	Total Chromium, (as Cr), mg/l, Max	<0.001	0.05	No Relaxation
18.	Ammonical Nitrogen (as N), mg/l, Max.	1.9		-
19.	Total Kjeldahl Nitrogen (as NH3), mg/l, Max.	5.8		-
20.	Free Ammonia (as NH ₃), mg/l, Max.	<0.01		

^{*}Limits as per IS 10500:2012

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Recognised By **Pollution Control Board, Assam** Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SW-10/02

Date

:07/11/2024

Order No.: 4700032340

Date

:21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED Village: Thangskai; PO: Lumshnong, Meghalaya

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: MCL/2024/SW-2510/02

Sample Source: Um-Lunar River Downstream

Sample Type: Surface Water

Collected On : 25-10-2024

Received On : 28-10-2024


Collected By: Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit* in the Absence of Alternate Source
1.	Colour, Hazen Units, Max.	18	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Temperature	24.6		
4.	pH Value	6.63	6.5 - 8.5	No Relaxation
5.	Suspended Solids	57		-
6.	Total Dissolved Solids, mg/l, Max.	143	500	2000
7.	Conductivity, µS/cm	190		
8.	Dissolved Oxygen, mg/l, Min.	6.9	••	
9.	Biochemical Oxygen Demand, mg/l, Max.	<1.0		
10.	Chemical Oxygen Demand, mg/l, Max.	41	-	-
11.	Oil and Grease, mg/l, Max.	<4.0	-	-
12.	Residual Chlorine, mg/l, Min.	<0.01	0.2	1
13.	Total Hardness (as CaCO ₃), mg/l, Max.	9,2	200	600
14.	Calcium (as Ca), mg/l, Max.	29	• 75	200
15.	Magnesium (as Mg), mg/l, Max.	10	30	100
16.	Iron (as Fe), mg/l, Max.	<0.001	0.3	No Relaxation
17.	Total Chromium, (as Cr), mg/l, Max	<0.001	0.05	No Relaxation
18.	Ammonical Nitrogen (as N), mg/l, Max.	3,2		
19.	Total Kjeldahl Nitrogen (as NH3), mg/l, Max.	6.9		
20.	Free Ammonia (as NH3), mg/l, Max.	<0.01		

^{*}Limits as per IS 10500:2012

Analysis Protocol: IS 3025







- NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
 - 2. Results refer only to the particular parameters tested.
 - 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, LO.C.L (AOD) New Market, Digboi 786171, Assam.





To,

Date: 09.11.2024

The Member Secretary, Meghalaya State Pollution Control Board, 'Arden' Lumpyngngad, Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report, Ambient Noise survey report and Water analysis report for the month of October'2024 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

Parket Co. L. Co

Authorized Signatory





Sales & Marketing Office: Mega Plaza, 4th Floor, Christian Basti G.S. Road, Guwahati - 781 005 Tel.: 0361 2345421/22/23, Fax: 0361 2345419 E-mail: guwahati@topcem.in

HELPLINE NO: 18001233666

Kolkata:

BE-77, Salt Lake City Sector-1, Kolkata - 700 064 Tel.: 033 2334 0666 / 0004 Fax: 033 2334 0505 Registered Office:

Village: Thangskai, P.O. & P.S. Lumshnong District: East Jaintia Hills, Meghalaya, PIN: 793210

Tel.: 03655 278324 / 363 / 364 Fax: 03655 278327 E-mail: meghalaya@toocem.in





Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph. 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/AA-10/01

ate : 07/11/2024

Report Issued To: MEGHALAYA CEMENTS LIMITED


Village: Thangskai, PO: Lumshnong, Meghalaya

Order No.: 4700032340 Date: :21/10/2024

AMBIENT AIR QUALITY TEST RESULTS

LOCATIONS	Date of Sampling	PM 2.5 (μg/m³)	РМ 10 (µg/m³)	SO ₂ (μg/m³)	NO ₂ (µg/m³)	NH ₃ (µg/m³)	CO (mg/m³)	O ₃ (μg/m³)	B(a)P (ng/m³)	С ₆ Н ₆ (µg /m³)	Ni (ng/m³)	As (ng/m³)	Pb (μg/m³)
LIMITS —	ł	60 (24 hrs. Average)	100 (24 hrs. Average)	80 (24 hrs. Average)	80 (24 hrs. Average)	400 (24 hrs. Average)	4.0 (1 hr. Average)	180 (1 hr. Average)	1.0 (Annual Average)	5.0 (Annual Average)	20 (Annual Average)	6.0 (Annual Average)	1.0 (24 hrs. Average)
Near Residential Colony	22.10.2024	27.6	57.6	6.2	7.6	<5.0	<0.01	<1.0	<0.1	<0.01	<0.01	<0.01	<0.01
Wahiajer Village	23.10.2024	23.1	43.8	5.8	7.2	<5.0	<0.01	<1.0	<0.1	<0.01	<0.01	<0.01	<0.01

Analysis Protocol: IS 5182





Checked By: Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full without the written permission of ENVIROCON, 1.0.CL (AOD) New Market, Digboi - 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



<u>Recognised By</u>
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/AA-10/03

Date : 07/11/2024

Order No.: 4700032340

Date : 21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

AMBIENT AIR QUALITY TEST RESULTS

SI, No.	LOCATION(S)↓	Date of Sampling	PM 2.5 (μg/m³)	PM 10 (μg/m³)	SO ₂ (μg/m³)	NO ₂ (μg/m³)
	LIMIT(S) →		60	100	80	80
01	Near CCR Building	23.10.2024	36.2	63.2	5.3	6.5
02	Near LS Crusher	23.10.2024	41.3	72.6	7.5	8.2
03	Near CPP Area	23.10.2024	44.8	76.7	8.6	9.7

Analysis Protocol: IS 5182





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, LO.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/11

Date :07/11/2024 Order No.: 4700032340 Date :21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED


Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	1	MCL/2024/SE-10/1	1
02	Date of Sampling		24.10.2024	
03	Material of Construction		М. S.	
04	Stack Attached To		Primary Crusher	
05	Stack Diameter (Meter)		1.19	
06	Flue Gas Temperature (°C)		28	
07	Exit Velocity of Gas (m/sec)		4.4	
08	Flow Rate (Nm³/hr)	17444		
09	Type of Fuel Used		NA*	
	Analysis Resul	ts of Flue Gas		
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	Particulate Matter	17	mg/Nm³	30

^{*}NA: Not Applicable







NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/12

:07/11/2024 Date

Order No.: 4700032340

:21/10/2024 Date

M/S. MEGHALAYA CEMENTS LIMITED Report Issued To:

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

[<u> </u>		
01	Test Ref. No.		MCL/2024/SE-10/1	2
02	Date of Sampling		24.10.2024	
03	Material of Construction		M. S.	
04	Stack Attached To		Secondary Crusher	
05	Stack Diameter (Meter)		1.0	
06	Flue Gas Temperature (°C)		30	
07	Exit Velocity of Gas (m/sec)		4.5	
08	Flow Rate (Nm³/hr)	12515		
09	Type of Fuel Used		NA*	
	Analysis Resul	ts of Flue Gas		
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	Particulate Matter	19	mg/Nm³	30

^{*}NA: Not Applicable





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/07

Date :07/11/2024 Order No.: 4700032340 :21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.		MCL/2024/SE-10/0	7	
02	Date of Sampling		23.10.2024		
03	Material of Construction		M. S.		
04	Stack Attached To	RA	BH (Kiln & Raw Mill)- 1	
05	Stack Diameter (Meter)		3.0		
06	Flue Gas Temperature (°C)		176		
07	Exit Velocity of Gas (m/sec)		19.1		
08	Flow Rate (Nm³/hr)		322622		
09	Type of Fuel Used	Kiln Coal			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	24	mg/Nm³	30	
ii.	Sulphur Dioxide (as SO ₂)	659	mg/Nm³	1000	
iii.	Oxides of Nitrogen (as NO _x)	289	mg/Nm³	600	





Checked By: Mr. Pankaj Baroi, ENVIROCON

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Recognised By Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/08

Date : 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.		MCL/2024/SE-10/0	8	
02	Date of Sampling		23.10.2024		
03	Material of Construction		М. S.		
04	Stack Attached To	RA	BH (Kiln & Raw Mill)- 2	
05	Stack Diameter (Meter)		3.0		
06	Flue Gas Temperature (°C)		171		
07	Exit Velocity of Gas (m/sec)		18.3		
08	Flow Rate (Nm³/hr)		272301		
09	Type of Fuel Used	Kiln Coal			
	Analysis Resu	its of Flue Gas			
SI. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	22	mg/Nm³	30	
ii.	Sulphur Dioxide (as SO ₂)	661	mg/Nm³	1000	
iii.	Oxides of Nitrogen (as NO _x)	288	mg/Nm³	600	





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, LO.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/01

Date

:07/11/2024

Order No.: 4700032340

Date

:21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.		MCL/2024/SE-10/0	1	
02	Date of Sampling		22.10.2024		
03	Material of Construction		M. S.		
04	Stack Attached To		Coal Mill - 1		
05	Stack Diameter (Meter)		1.18		
06	Flue Gas Temperature (°C)		52		
07	Exit Velocity of Gas (m/sec)		12.3		
08	Flow Rate (Nm³/hr)	45490			
09	Type of Fuel Used		NA*		
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)	
i.	Particulate Matter	23	mg/Nm³	30	

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Recognised By **Pollution Control Board, Assam**

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/02

Date :07/11/2024 Order No.: 4700032340

:21/10/2024 Date

M/S. MEGHALAYA CEMENTS LIMITED Report Issued To:

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/02		
02	Date of Sampling	22.10.2024		
03	Material of Construction		M. S.	
04	Stack Attached To		Coal Mill - 2	
05	Stack Diameter (Meter)	1.18		
06	Flue Gas Temperature (°C)	48		
07	Exit Velocity of Gas (m/sec)	11.1		
08	Flow Rate (Nm³/hr)	40939		
09	Type of Fuel Used	NA*		
	Analysis Resul	its of Flue Gas		
SI. No.	Parameter(s)	Result(s) Unit(s) Limit(s)		
i.	Particulate Matter	21	mg/Nm³	30

*NA: Not Applicable





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE:

- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- ${\bf 2.}\ Results\ refer\ only\ to\ the\ particular\ parameters\ tested.$
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/05

Date

:07/11/2024

Order No.: 4700032340

Date

: 21/10/2024

Report Issued To: M/S.


M/S. MEGHALAYA CEMENTS LIMITED
Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

i.	Particulate Matter	27	mg/Nm³	30
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)		
	Analysis Resul	ts of Flue Gas		
09	Type of Fuel Used		NA*	
08	Flow Rate (Nm³/hr)		115193	
07	Exit Velocity of Gas (m/sec)	6.8		
06	Flue Gas Temperature (°C)	117		
05	Stack Diameter (Meter)	2.8		
04	Stack Attached To		Cooler E. S. P 1	
03	Material of Construction		M. S.	
02	Date of Sampling	22.10.2024		
01	Test Ref. No.	MCL/2024/SE-10/05		

^{*}NA: Not Applicable







NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/06

Date : 0°

: 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED
Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/06		
02	Date of Sampling	23.10.2024		
03	Material of Construction		М. S.	
04	Stack Attached To		Cooler E. S. P. – 2	
05	Stack Diameter (Meter)	2.8		
06	Flue Gas Temperature (°C)	116		
07	Exit Velocity of Gas (m/sec)	7.1		
08	Flow Rate (Nm³/hr)	120584		
09	Type of Fuel Used	NA*		
	Analysis Resul	ts of Flue Gas		
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)		
i.	Particulate Matter	29	mg/Nm³	30

^{*}NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in fulf, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



<u>Recognised By</u>
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/09

Date : 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/09			
02	Date of Sampling	23.10.2024			
03	Material of Construction		M. S.		
04	Stack Attached To		Cement Mill No. 1		
05	Stack Diameter (Meter)	1.2			
06	Flue Gas Temperature (°C)	61			
07	Exit Velocity of Gas (m/sec)	12.1			
08	Flow Rate (Nm³/hr)	43961			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	23	mg/Nm³	30	

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/10

Date : 07/11/2024

Order No.: 4700032340

Date : 21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/10			
02	Date of Sampling		23.10.2024		
03	Material of Construction		M. S.		
04	Stack Attached To		Cement Mill No. 2		
05	Stack Diameter (Meter)	1.2			
06	Flue Gas Temperature (°C)	69			
07	Exit Velocity of Gas (m/sec)	14.8			
08	Flow Rate (Nm³/hr)	52513			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	25	mg/Nm³	30	

^{*}NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Recognised By
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/03

Date : 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/03			
02	Date of Sampling		22.10.2024		
03	Material of Construction		М. S.		
04	Stack Attached To		Packing Plant No. 1		
05	Stack Diameter (Meter)	0.6			
06	Flue Gas Temperature (°C)	29			
07	Exit Velocity of Gas (m/sec)	12.7			
08	Flow Rate (Nm³/hr)	12546			
09	Type of Fuel Used	NA*			
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	24	mg/Nm³	30	

*NA: Not Applicable



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/04

Date :07/11/2024

Order No.: 4700032340 :21/10/2024 Date

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED


Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

01	Test Ref. No.	MCL/2024/SE-10/04			
02	Date of Sampling	22.10.2024			
03	Material of Construction		M. S.		
04	Stack Attached To		Packing Plant No. 2		
05	Stack Diameter (Meter)	1.0			
06	Flue Gas Temperature (°C)	31			
07	Exit Velocity of Gas (m/sec)	15.2			
08	Flow Rate (Nm³/hr)	42134			
09	Type of Fuel Used		NA*		
	Analysis Resul	ts of Flue Gas			
Sl. No.	Parameter(s)	Result(s) Unit(s) Limit(s)			
i.	Particulate Matter	26	mg/Nm³	30	

*NA: Not Applicable







NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 $2. \ Results \, refer \, only \, to \, the \, particular \, parameters \, tested.$

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, i.O.C.L (AOD) New Market, Digboi - 786171, Assam.



<u>Recognised By</u>
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SE-10/13

Date : 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

STACK EMISSION TEST RESULTS

NGL (2004) (Tr. 40 /40				
01	Test Ref. No.	MCL/2024/SE-10/13		
02	Date of Sampling		24.10.2024	
03	Material of Construction		Refractory Brick	
04	Stack Attached To	Ca	ptive Power Plant ((CPP)
05	Stack Diameter (Meter)		2.53	
06	Flue Gas Temperature (°C)	98		
07	Exit Velocity of Gas (m/sec)	7.2		
08	Flow Rate (Nm³/hr)	104680		
09	Type of Fuel Used		Coal	
	Analysis Resul	ts of Flue Gas		
Sl. No.	Parameter(s)	Result(s)	Unit(s)	Limit(s)
i.	Particulate Matter	44 mg/Nm³ 50		
ii.	Sulphur Dioxide (as SO ₂)	408	mg/Nm³	600
iii.	Oxides of Nitrogen (as NO _x)	178	mg/Nm³	300





Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi – 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs

Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/N-10/01

Date : 07/11/2024

Order No.: 4700032340 :21/10/2024 Date

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

NOISE LEVEL MEASUREMENT RESULTS

OI N	land ()	Date	Day	Day time		Time
SI. No.	No. Location(s)	Of Measurement	L _{eq} (dB-A)	Limit (dB-A)	L _{eq} (dB-A)	Limit (dB-A)
1	Residential Colony	23.10.2024	49.5	55	43.6	45
2	Near L.S Crusher	23.10.2024	71.7	75	66.7	70
3	Thangskai Village	23.10.2024	42.5	55	37.4	45
4	Near CCR Building	23.10.2024	69.3	75	65.6	70



Checked By: Mr. Pankaj Baroi, ENVIROCON



NOTE:

1. Results reported are valid at the time of and under the prevailing conditions of measurement.

 ${\bf 2.} \ Results \ refer \ only \ to \ the \ particular \ parameters \ tested.$

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, LO.C.L (AOD) New Market, Digboi - 786171, Assam.



Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam - 786 171 Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SW-10/01

:07/11/2024 Date

Order No.: 4700032340 Date :21/10/2024

Report Issued To:

M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: MCL/2024/SW-2510/01

Sample Source: Um-Lunar River Upstream

Sample Type: Surface Water

Collected On : 25-10-2024

Received On : 28-10-2024

Collected By: Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit in the Absence of Alternate Source
1.	Colour, Hazen Units, Max.	15	. 5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Temperature	24.6		
4.	pH Value	6.68	6.5 - 8.5	No Relaxation
5.	Suspended Solids	43	-	
6.	Total Dissolved Solids, mg/l, Max.	129	500	2000
7.	Conductivity, μS/cm	182		
8.	Dissolved Oxygen, mg/l, Min.	6.4		
9.	Biochemical Oxygen Demand, mg/l, Max.	<1.0	**	
10.	Chemical Oxygen Demand, mg/l, Max.	27		
11.	Oil and Grease, mg/l, Max.	<4.0		
12.	Residual Chlorine, mg/l, Min.	<0.01	0.2	1
13.	Total Hardness (as CaCO3), mg/l, Max.	8.4	200	600
14.	Calcium (as Ca), mg/l, Max.	26	. 75	200
15.	Magnesium (as Mg), mg/l, Max.	9	30	100
16.	Iron (as Fe), mg/l, Max.	<0.001	0.3	No Relaxation
17.	Total Chromium, (as Cr), mg/l, Max	<0.001	0.05	No Relaxation
18.	Ammonical Nitrogen (as N), mg/l, Max.	1.9		
19.	Total Kjeldahl Nitrogen (as NH ₃), mg/l, Max.	5.8		
20.	Free Ammonia (as NH ₃), mg/l, Max.	<0.01		

^{*}Limits as per IS 10500:2012

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.



Recognised By
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171

Ph: 03751-264414, 9435008657, 8876028672 E-mail: envirocon@rediffmail.com ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/SW-10/02

Date : 07/11/2024

Order No.: 4700032340 Date : 21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

SURFACE WATER ANALYSIS RESULTS

Sample Ref. No.: MCL/2024/SW-2510/02

Sample Source: Um-Lunar River Downstream

Sample Type : Surface Water

Collected On : 25-10-2024

Received On : 28-10-2024

Collected By: Envirocon Representative

Sl. No.	Parameters	Results	Acceptable Limit*	Permissible Limit* in the Absence of Alternate Source
1.	Colour, Hazen Units, Max.	18	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Temperature	24.6		
4.	pH Value	6.63	6.5 - 8.5	No Relaxation
5.	Suspended Solids	57		
6.	Total Dissolved Solids, mg/l, Max.	143	500	2000
7.	Conductivity, μS/cm	190		
8.	Dissolved Oxygen, mg/l, Min.	6.9	-	
9.	Biochemical Oxygen Demand, mg/l, Max.	<1.0	-	
10.	Chemical Oxygen Demand, mg/l, Max.	41		-
11.	Oil and Grease, mg/l, Max.	<4.0		
12.	Residual Chlorine, mg/l, Min.	<0.01	0.2	1
13.	Total Hardness (as CaCO3), mg/l, Max.	9.2	200	600
14.	Calcium (as Ca), mg/l, Max.	29	. 75	200
15.	Magnesium (as Mg), mg/l, Max.	10	30	100
16.	Iron (as Fe), mg/l, Max.	<0.001	0.3	No Relaxation
17.	Total Chromium, (as Cr), mg/l, Max	<0.001	0.05	No Relaxation
18.	Ammonical Nitrogen (as N), mg/l, Max.	3.2		
19.	Total Kjeldahl Nitrogen (as NH3), mg/l, Max.	6.9		
20.	Free Ammonia (as NH ₃), mg/l, Max.	<0.01		

^{*}Limits as per IS 10500:2012

Analysis Protocol: IS 3025



Checked By: Mr. Pankaj Baroi, ENVIROCON

NOTE: 1. Results reported are valid at the time of and under the prevailing conditions of measurement.

2. Results refer only to the particular parameters tested.

3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi - 786171, Assam.

Core Services: Environmental Monitoring & Data Generation, EIA & EMP, Environmental Audit & Allied Environmental Management jobs
Associate Services: Certification by Competent Person (CIF), NDT, Hydraulic Testing, Chartered Engineer Services etc.





To,

Date: 09.11.2024

The Member Secretary, Meghalaya State Pollution Control Board, 'Arden' Lumpyngngad, Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month October'2024 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

Authorized Signatory





Mega Plaza, 4th Floor, Christian Basti G.S. Road, Guwahati - 781 005 Tel.: 0361 2345421/22/23, Fax: 0361 2345419 E-mail: guwahati@topcem.in Web: www.topcem.in

HELPLINE NO: 18001233666

BE-77, Salt Lake City Sector-1, Kolkata - 700 064 Tel.: 033 2334 0666 / 0004

Fax: 033 2334 0505 E-mail: kolkata@topcem.in

skai, P.O. & P.S. Lumshnong laintia Hills, Meghalaya, PIN: 793210





Recognised By
Pollution Control Board, Assam

Envirocon Building, I.O.C.L (AOD) New Market P.O.: Digboi, Dist.: Tinsukia, Assam – 786 171 Ph: 03751-264414, 9435008657, 8876028672

E-mail: envirocon@rediffmail.com

ISO 9001:2015 Certified ISO 45001:2018 Certified

Report No.: ENV/MCL/24-25/FE-10/01

Date : 07/11/2024

Order No.: 4700032340

Date : 21/10/2024

Report Issued To: M/S. MEGHALAYA CEMENTS LIMITED

Village: Thangskai; PO: Lumshnong, Meghalaya

PROCESS FUGITIVE EMISSION TEST RESULTS

SI. No.	Locations	Date of Sampling	Results for SPM (μg/m³)	Limits (μg/m³)
01	Cement Loading Point	24.10.2024	1035	2000
02	CPP Coal Storage	24.10.2024	1129	2000
03	Clinker Loading Point	22.10.2024	2346	5000
04	Raw Material Yard	22.10.2024	1754	5000

Analysis Protocol: IS 5182



Checked By: Mr. Pankaj Baroi, ENVIROCON



- 1. Results reported are valid at the time of and under the prevailing conditions of measurement.
- 2. Results refer only to the particular parameters tested.
- 3. This test report shall not be reproduced except in full, without the written permission of ENVIROCON, I.O.C.L (AOD) New Market, Digboi 786171, Assam.

PROCESS FUGITIVE EMISSION TEST RESULTS

October'2024

Date of Testing	Location	Fugitive Emission Results for SPM (µg/m³)	As per the Standard Limit (μg/m³)	
07.10.2024	Lime stone Storage Area	1142	5000	
08.10.2024	Coal Storage Area	1185	2000	
09.10.2024	Clinker Loading Area	1935	5000	
15.10.2024	Cement Loading Area	2351	5000	
16.10.2024	Coal Storage Area (CPP)	1334 ,	2000	
17.10.2024	Fly Ash Silo Area (CPP)	989	2000	

Prepared by
(Abhigyan Gautam)



Checked & Verified by
Olivery
(Ujjwal Anurag)





To,

Date: 09.11.2024

The Member Secretary, Meghalaya State Pollution Control Board, 'Arden' Lumpyngngad, Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of 10 MW Captive Power Plant for the month of October'2024.

Month

Water Consumption

October'2024


 $15,734 \text{ m}^3$

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED









Sales & Marketing Office: Mega Plaza, 4th Floor, Christian Basti G.S. Road, Guwahati - 781 005 Tel.: 0:631 2345421/22/23, Fax: 0:361 2345419 E-mail: guwahati@topcem.in Web: www.topcem.in

HELPLINE NO: 18001233666

Kolkata:

BE-77, Salt Lake City Sector-1, Kolkata - 700 064 Tel.: 033 2334 0666 / 0004 Fax: 033 2334 0505 E-mail: kolkata@topcem.in Registered Office : /illage: Thangskai, P.O.

Village: Thangskai, P.O. & P.S. Lumshnong District: East Jaintia Hills, Meghalaya, PIN: 793210 Tel.: 03655 278324 / 363 / 364 Fax: 03655 278327





MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 09.11.2024

The Member Secretary, Meghalaya State Pollution Control Board, 'Arden' Lumpyngngad, Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of 2600 TPD Cement Manufacturing Plant for the month of October'2024.


Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

Dunes THITOH

Authorized Signatory





Sales & Marketing Office: Mega Plaza, 4th Floor, Christian Basti G.S. Road, Guwahati - 781 005 Tel.: 0361 2345421/22/23, Fax: 0361 2345419 E-mail: guwahati@topcem.in Web: www.topcem.in

HELPLINE NO: 18001233666

Kalkata :

BE-77, Salt Lake City Sector-1, Kolkata - 700 064 Tel.: 033 2334 0666 / 0004 Fax: 033 2334 0505 E-mail: kolkata@topcem.in Registered Office:

Village: Thangskai, P.O. & P.S. Lumshnong District: East Jaintia Hills, Meghalaya, PIN: 793210 Tel.: 03655 278324 / 363 / 364

Fax: 03655 278327 E-mail: meghalaya@topcem.ii



MEGHALAYA CEMENTS LIMITED

FORM - I

(See Rule 4)

Return: Water consumed during the month of October' 2024

Remarks(*)		Oty. of water consumed from river water =5,141 + 12,521= 17,662 KL	Oty of water circulation &returned = 11,041+ 3,243 = 14,284 KL	Used for WHRS
Quantity of water qualifying for rebate according to the assesses	8	1 	1	1
If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	7	1	ı	1
Quantity of water consumed in Kiloliters		5141	12521	8658
Reading at the endof the last day of the calendar month under report	Ŋ	(a) 467764 (b) 67267 (c) 868734	(a) 341315 (b) 359993 (c) 927446	. 1
Reading at the beginning of the first day of the calendar month under report	4	(a) 465749 (b) 65978 (c) 866897	(a) 334154 (b) 347851 (c) 919944	l
Source Tube WellRive r etc.	е	River	River	River
Purpose for which water consumed	2	Domestic purpose	Industrial cooling (Cement Plant)	Industrial cooling (WHRS)
Name and Address of the consumer	П	MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshnong Pin No 793210 Jaintia Hills -		

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

Note: (1) Initial reading of the return line flow meter at the beginning of the month = 29, Final reading of the return line flow meter at end of month= 29, 75,311

(2) Initial reading of S.T.P flow meter at the beginning of the month = 1, 88,613 Final reading of S.T.P flow meter at the end of the month= 1, 91,856

