



# MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 07.04.2026

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality Survey report, Ambient Noise Survey report and Water Analysis report for the month of **March'2026** for Limestone mining for an area of 31.05 Ha, at South Khliehji.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**


  
Authorized Signatory



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangskai, P.O. & P.S. Lumshnong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

**M/s MEGHALAYA CEMENTS LIMITED**  
**AMBIENT AIR QUALITY SURVEY**


MCL/ENV/LSM-AAQM/2025-26

Location of sampling	South Khliehjrri Limestone Mine (31.05 Ha)
Date duration of sampling	05.03.2026 & 06.03.2026
Time Duration of sampling	48 hours
Weather	Clear
Total Rain Fall, mm (On Date)	00.00 mm
Ambient Temperature (°C) :	Max. -27.69°C, Min. -17.71°C
Relative Humidity (%) :	Max. -71.15%, Min. -35.39 %
Wind direction	→SE(139.56°)


Pollutants	Analysis Results			Permissible Limits for Rural Areas (By MSPCB 24 hrs Monitoring)
	Station No. & Air Quality Survey No.			
	A1. North -East (Near Soil Dump) B/61/2025-26	A2. North - West (Near Haul Road) B/62/2025-26	A3. Southern side (Near Lease Boundary) B/63/2025-26	
	48 hrs.	48 hrs	48 hrs	
Particulate Matters PM10 (µg/m <sup>3</sup> )	53.89	60.12	55.23	100
Particulate Matters PM2.5 (µg/m <sup>3</sup> )	31.16	35.29	26.74	60

Remarks : The Parameters analysed were found to be within the permissible

Prepared by

  
(Abhigyan Gautam)

Checked & Verified By

  
(Ujjwal Anurag)

**M/s MEGHALAYA CEMENTS LIMITED**  
**NOISE LEVEL AT MINES SITE**

MCL/ENV/LSM-NL/2025-26

Date: 06.03.2026


LOCATION BETWEEN INTERNAL ROADS AND BENCHES 2,3 IN  
SOUTH & WEST DIRECTION OF SOUTH KHLIEHJRI LIMESTONE MINES

TIME	NOISE LEVEL (dB)
	59.7
6.00 AM	47.5
	49.4
	68.8
7.00 AM	70.6
	70.2
	73.1
8.00 AM	73.7
	73.8
	74.5
9.00 AM	71.1
	69.7
	72.4
10.00 AM	71.4
	71.8
	71.4
11.00 AM	73.5
	71.4
	76.2
12.00 AM	75.3
	73.6
	74.9
1.00 PM	73.8
	75.0
	73.8
2.00 PM	75.1
	76.7
	73.7
3.00 PM	75.2
	73.7
	72.7
4.00 PM	75.0
	69.8
	69.6
5.00 PM	68.1
	69.3
	68.8
6.00 PM	68.6
	66.8


TIME	NOISE LEVEL (dB)
	60.8
7.00 PM	60.3
	61.6
	55.6
8.00 PM	56.9
	58.3
	53.1
9.00 PM	51.4
	48.8
Noise Level, Leq (day) = 68.0 dB	

TIME	NOISE LEVEL (dB)
	56.3
10.00 PM	57.4
	56.5
	54.3
11.00 PM	55.4
	54.3
	52.2
12.00 PM	52.7
	51.6
	50.3
1.00 AM	49.0
	48.0
	46.6
2.00 AM	47.9
	50.3
	50.6
3.00 AM	50.1
	50.3
	48.1
4.00 AM	47.8
	49.5
	48.7
5.00 AM	50.5
	48.4
Noise Level, Leq (Night) = 50.20 dB	

Prepared by

  
(Abhigyan Gautam)

Verified By

  
(Ujjwal Anurag)


# Meghalaya cements limited

Thangskai , Meghalaya  
UPSTREAM WATER ANALYSIS REPORT


Date:-08.03.2026

Sl. No.	Parameters	Obtained Values in MAR'2026	Permissible Limit
1	pH	7.2	6.5 - 8.5
2	Dissoled Oxygen (mg/lit)	12.85	-
3	Total Dissolve Solids (mg/Lit)	158	<500
4	Conductivity (mg/Lit)	141	-
5	Total Hardness (mg/ Lit)	208	<300
6	Calcium Hardness (mg/Lit)	73	<200
7	Magnesium Hardness (mg/Lit)	39	<100
8	Alkalinity (mg/Lit)	19	<200

**Prepared By**

  
Abhigyan Gautam

**Checked & Verified By**

  
Ujjwal Anurag

# Meghalaya cements limited


Thangskai , Meghalaya

## DOWNSTREAM WATER ANALYSIS REPORT


Date:-08.03.2026

Sl. No.	Parameters	Obtained Values in MAR'2026	Permissible Limit
1	pH	7.6	6.5 - 8.5
2	Dissolved Oxygen (mg/lit)	15.2	-
3	Total Dissolve Solids (mg/Lit)	168	<500
4	Conductivity (mg/Lit)	159	-
5	Total Hardness (mg/ Lit)	215	<300
6	Calcium Hardness (mg/Lit)	59	<200
7	Magnesium Hardness (mg/Lit)	32	<100
8	Alkalinity (mg/Lit)	18	<200

Prepared By

  
Abhigyan Gautam

Checked & Verified By

  
Ujjwal Anurag



# MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 07.04.2026

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report, Ambient Noise survey report and Water analysis report for the month of **March'2026** for **2600 TPD Cement Manufacturing Plant** along with **10 MW Captive Power Plant** report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

*[Signature]*  
Authorized Signatory



**Sales & Marketing Office :**  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

**Kolkata :**  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

**Registered Office :**  
Village: Thangskai, P.O. & P.S. Lumshnong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

# MEGHALAYA CEMENTS LIMITED

---

## STACK ANALYSIS REPORT

**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 02.03.2026  
**Type of Stack** : **Primary Crusher**  
**Laboratory reference No** : S/19/2025-26

### Parameters:


1) Particulate Matter (PM): 24.41 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
(Abhigyan Gautam)

**Checked & Verified by**

  
(Ujjwal Anurag)

# MEGHALAYA CEMENTS LIMITED

---

## STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 02.03.2026  
**Type of Stack** : **Secondary Crusher**  
**Laboratory reference No** : S/20/2025-26

### Parameters:


1) Particulate Matter (PM): 25.12 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
**(Abhigyan Gautam)**

**Checked & Verified by**

  
**(Ujjwal Anurag)**

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 08.03.2026  
**Type of Stack** : **Kiln& Raw Mill (RABH-1)**  
**Laboratory reference No** : S/23/2025-26


**Parameters:**

- 1) Particulate Matter (PM): 19.54 mg/Nm<sup>3</sup>
- 2) Oxides of Sulfur (as SO<sub>2</sub>):598.18 mg/Nm<sup>3</sup>
- 3) Oxides of Nitrogen (NOx):118.33 mg/Nm<sup>3</sup>


**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

*Note:The SO<sub>2</sub> result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.*

**Prepared by**

  
**(Abhigyan Gautam)**

**Checked & Verified by**

  
**(Ujjwal Anurag)**

# MEGHALAYA CEMENTS LIMITED

---

## STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 11.03.2026  
**Type of Stack** : **Kiln& Raw Mill (RABH-2)**  
**Laboratory reference No** : S/24/2025-26


### Parameters:

- 1) Particulate Matter (PM): 17.08 mg/Nm<sup>3</sup>
- 2) Oxides of Sulfur (as SO<sub>2</sub>):631.45 mg/Nm<sup>3</sup>
- 3) Oxides of Nitrogen (NO<sub>x</sub>):127.23 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Note:***The SO<sub>2</sub> result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.*

**Prepared by**  
  
**(Abhigyan Gautam)**

**Checked & Verified by**  
  
**(Ujjwal Anurag)**

# MEGHALAYA CEMENTS LIMITED


## STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 10.03.2026  
**Type of Stack** : VRM  
**Laboratory reference No** : S/14/2025-26

### Parameters:

1) Particulate Matter (PM): 16.19 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Prepared by  
  
(Abhigyan Gautam)

Checked & Verified by  
  
(Ujjwal Anurag)

# MEGHALAYA CEMENTS LIMITED

---

## STACK ANALYSIS REPORT

**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 04.03.2026  
**Type of Stack** : Cooler E.S.P-1  
**Laboratory reference No** : S/21/2023-24

### Parameters:


1) Particulate Matter (PM): 22.43 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
(Abhigyan Gautam)

**Checked & Verified by**

  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT

**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 04.03.2026  
**Type of Stack** : Cooler E.S.P-2  
**Laboratory reference No** : S/22/2025-26

#### Parameters:


(1) Particulate Matter (PM): 24.19 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
**(Abhigyan Gautam)**

**Checked & Verified by**

  
**(Ujjwal Anurag)**

## MEGHALAYA CEMENTS LIMITED

---

### STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 27.03.2026  
**Type of Stack** : Cement Mill No-1  
**Laboratory reference No** : S/17/2025-26

#### Parameters:


1) Particulate Matter (PM): 19.26 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
(Abhigyan Gautam)

**Checked & Verified by**

  
(Ujjwal Anurag)

# MEGHALAYA CEMENTS LIMITED

---

## STACK ANALYSIS REPORT


**Name of Sampling Location** : MCL, Thangskai  
**Date of Sampling** : 24.03.2026  
**Type of Stack** : Cement Mill No-2  
**Laboratory reference No** : S/18/2025-26

### Parameters:


1) Particulate Matter (PM): 18.43 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**

  
(Abhigyan Gautam)

**Checked & Verified by**

  
(Ujjwal Anurag)

## MEGHALAYA CEMENTS LIMITED

---


### STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 12.03.2026  
**Type of Stack** : **Packing Plant-1**  
**Laboratory reference No** : S/15/2025-26

#### Parameters:

1) Particulate Matter (PM): 21.81 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

**Prepared by**  
  
**(Abhigyan Gautam)**

**Checked & Verified by**  
  
**(Ujjwal Anurag)**

# MEGHALAYA CEMENTS LIMITED

---


## STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai  
Date of Sampling : 11.03.2026  
Type of Stack : Packing Plant-2  
Laboratory reference No : S/16/2025-26

### Parameters:

1) Particulate Matter (PM): 21.48 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10<sup>th</sup> May'2016.

Prepared by  
  
(Abhigyan Gautam)

Checked & Verified by  
  
(Ujjwal Anurag)

# MEGHALAYA CEMENTS LIMITED

---


## STACK ANALYSIS REPORT


**Name of sampling Location** : MCL, Thangskai  
**Date of Sampling** : 13.03.2026  
**Type of Stack** : CPP.  
**Laboratory reference No** : S/25/2025-26

### Parameters:

- 1) Particulate Matter (PM):- 18.43 mg/Nm<sup>3</sup>
- 2) Oxides of Sulfur (as SO<sub>2</sub>):- 635.86 mg/Nm<sup>3</sup>
- 3) Oxides of Nitrogen (NO<sub>x</sub>):- 136.27 mg/Nm<sup>3</sup>

**Remarks:** The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.3305 (E) dated 07<sup>th</sup> Dec'2015.

**Prepared by**  
  
**(Abhigyan Gautam)**


**Checked & Verified by**  
  
**(Ujjwal Anurag)**


# MEGHALAYA CEMENTS LIMITED

## AMBIENT AIR QUALITY SURVEY

Location of sampling	MCL, Thangskai				
Date of sampling	09.03.2026 & 10.03.2026				
Distance between the industry and sampling Location	100.0 meters 20.00 meters 25.00 meters 10.00 meters				
Time duration of sampling	48 hrs				
Weather	Clear				
Total Rainfall, mm (On Date)	0.00 mm				
Ambient Temperature ( <sup>0</sup> C):					
Maximum:	25.60				
Minimum:	16.86				
Relative Humidity (%):					
Maximum:	91.79				
Minimum:	64.62				
Wind direction (in Degree)	→ SE (131.84)				
Pollutants	Analysis results				Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.				
	1) Opposite Guest house A/06/2025-26	2) Near L/S Crusher A/07/2025-26	3) Near Substation (DW Direction) A/08/2025-26	4) Near CCR Building A/09/2025-26	
	24 hrs.	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM <sub>10</sub> (µg/m <sup>3</sup> )	46.12	51.82	41.25	49.28	100 µg/m <sup>3</sup>
Suspended Particulate Matters PM <sub>2.5</sub> (µg/m <sup>3</sup> )	22.18	26.43	18.56	25.41	60 µg/m <sup>3</sup>

**Remarks:** The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16<sup>th</sup> Nov'2009.

**Prepared by**  
  
**(Abhigyan Gautam)**

**Checked & Verified by**  
  
**(Ujjwal Anurag)**


# MEGHALAYA CEMENTS LIMITED

## CPP AMBIENT AIR QUALITY SURVEY


Location of sampling	CPP, MCL, Thangskai			
Date of sampling	16.03.2026			
Distance between the industry and sampling Location	25.0 meters 25.0 meters 25.0 meters			
Time duration of sampling	24hrs			
Weather	Clear			
Total Rainfall, mm(On Date)	0.00 mm			
Ambient Temperature( <sup>0</sup> C):				
Maximum:	22.37			
Minimum:	10.63			
Relative Humidity (%):				
Maximum:	94.21			
Minimum:	66.23			
Wind direction (in Degree)	→SE (136.60)			
Pollutants	Analysis results			Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.			
	1)Old Yard side S to E B/01/2025-26	2) Labour colony side S to W B/02/2025-26	3)JUNGLE Side N to E B/03/2025-26	
	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM <sub>10</sub> (µg/m <sup>3</sup> )	49.21	50.13	39.12	100µg/m <sup>3</sup>
Suspended ParticulateMatters PM <sub>2.5</sub> (µg/m <sup>3</sup> )	29.61	31.16	23.19	60µg/m <sup>3</sup>

**Remarks:** The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16<sup>th</sup> Nov'2009.

**Prepared by**

  
**(Abhigyan Gautam)**

**Checked & Verified by**

  
**(Ujjwal Anurag)**


# MEGHALAYA CEMENTS LIMITED


## MONTHLY REPORT: NOISE INTENSITY

Mrach'26

Location		<u>Noise Intensity: dB (A) Leq</u>	
		Noise Value in dB (A) Leq	Noise Level not to exceed, in dB (A) Leq
Captive Power Plant	Day	50	75
	Night	46	70
DG House	Day	55	75
	Night	43	70
Guest House	Day	40	75
	Night	35	70
Crusher	Day	60	75
	Night	49	70

NOTE: Day Time (6:00AM to 9:00PM), Night Time (9:00PM to 6:00AM)

Prepared by  
  
Abhigyan Gautam

Checked & Verified by  
  
Ujjwal Anurag

# MEGHALAYA CEMENTS LIMITED


## MONTHLY REPORT: NOISE INTENSITY

March '26


Location		<u>Noise Intensity: dB (A) Leq</u>	
		Noise Value in dB (A) Leq	Noise Level not to exceed, in dB (A) Leq
Drilling Point	Day	53	75
	Night	38	70
Blasting Point	Day	50	75
	Night	33	70
Hauling Point	Day	52	75
	Night	36	70
Crusher	Day	55	75
	Night	36	70

**NOTE: Day Time (6:00AM to 9:00PM), Night Time (9:00PM to 6:00AM)**

Prepared by

  
Abhigyan Gautam

Checked & Verified by

  
Ujjwal Anurag

# Meghalaya cements limited


Thangskai , Meghalaya

## DOWNSTREAM WATER ANALYSIS REPORT


Date:-08.03.2026

Sl. No.	Parameters	Obtained Values in MAR'2026	Permissible Limit
1	pH	7.6	6.5 - 8.5
2	Dissoled Oxygen (mg/lit)	15.2	-
3	Total Dissolve Solids (mg/Lit)	168	<500
4	Conductivity (mg/Lit)	159	-
5	Total Hardness (mg/ Lit)	215	<300
6	Calcium Hardness (mg/Lit)	59	<200
7	Magnesuim Hardness (mg/Lit)	32	<100
8	Alkalinity (mg/Lit)	18	<200

**Prepared By**

  
Abhigyan Gautam

**Checked & Verified By**

  
Ujjwal Anurag


# Meghalaya cements limited

Thangskai , Meghalaya  
UPSTREAM WATER ANALYSIS REPORT


Date:-08.03.2026

Sl. No.	Parameters	Obtained Values in MAR'2026	Permissible Limit
1	pH	7.2	6.5 - 8.5
2	Dissolved Oxygen (mg/lit)	12.85	-
3	Total Dissolve Solids (mg/Lit)	158	<500
4	Conductivity (mg/Lit)	141	-
5	Total Hardness (mg/ Lit)	208	<300
6	Calcium Hardness (mg/Lit)	73	<200
7	Magnesium Hardness (mg/Lit)	39	<100
8	Alkalinity (mg/Lit)	19	<200

Prepared By

  
Abhigyan Gautam

Checked & Verified By

  
Ujjwal Anurag



# MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 07.04.2026

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpynggad,  
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month **March'2026** for **2600 TPD Cement Manufacturing Plant** along with **10 MW Captive Power Plant** report respectively.

Thanking you Sir,

Yours faithfully,

For **MEGHALAYA CEMENTS LIMITED**

*Mule...*  
Authorized Signatory



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangskai, P.O. & P.S. Lumshnong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

## MEGHALAYA CEMENTS LIMITED

### PROCESS FUGITIVE EMISSION TEST RESULTS


March'26

Date of Testing	Location	Fugitive Emission Results for SPM ( $\mu\text{g}/\text{m}^3$ )	As per the Standard Limit ( $\mu\text{g}/\text{m}^3$ )
07.03.2026	Lime stone Storage Area	2961	5000
09.03.2026	Coal Storage Area	1452	2000
24.03.2026	Clinker Loading Area	3587	5000
21.03.2026	Cement Loading Area	3112	5000
12.03.2026	Coal Storage Area (CPP)	1347	2000
13.03.2026	Fly Ash Silo Area (CPP)	1239	2000

Prepared by

  
(Abhigyan Gautam)

Checked & Verified by

  
(Ujjwal Anurag)



# MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 07.04.2026

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpyngngad,  
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of 10 MW Captive Power Plant for the month of **March'2026**.

Month

Water Consumption

March'2026

9,279 m<sup>3</sup>

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

*[Handwritten Signature]*  
Authorized Signatory



Sales & Marketing Office :  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

Kolkata :  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

Registered Office :  
Village: Thangskai, P.O. & P.S. Lumshnong  
District : East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax : 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666



# MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 07.04.2026

The Member Secretary,  
Meghalaya State Pollution Control Board,  
'Arden' Lumpynggad,  
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the water consumption report of **2600 TPD Cement Manufacturing Plant** for the month of **March'2026**.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

  
Authorized Signatory



**Sales & Marketing Office :**  
Mega Plaza, 4th Floor, Christian Basti  
G.S. Road, Guwahati - 781 005  
Tel. : 0361 2345421/22/23, Fax : 0361 2345419  
E-mail : guwahati@topcem.in  
Web : www.topcem.in

**Kolkata :**  
BE-77, Salt Lake City  
Sector-1, Kolkata - 700 064  
Tel. : 033 2334 0666 / 0004  
Fax : 033 2334 0505  
E-mail : kolkata@topcem.in

**Registered Office :**  
Village: Thangskai, P.O. & P.S. Lumshnong  
District: East Jaintia Hills, Meghalaya, PIN: 793210  
Tel. : 03655 278324 / 363 / 364  
Fax: 03655 278327  
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

# MEGHALAYA CEMENTS LIMITED

## FORM - I

(See Rule 4)


**Return: Water consumed during the month of March/2026**

1	2	3	4	5	6	7	8	9
Name and Address of the consumer	Purpose for which water consumed	Source Tube Well River etc.	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of the calendar month under report	Quantity of water consumed in Kiloliters	If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	Quantity of water qualifying for rebate according to the assesses	Remarks (*)
MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshnong Pin No 793210 Jaintia Hills - MEGHALAYA	Domestic purpose	River	(a) 500909 (b) 87177 (c) 899395	(a) 503489 (b) 88189 (c) 901900	6,097	-	8	Qty. of water consumed from river water = 6,097 + 15,362 = 21,459 KL
	Industrial cooling (Cement Plant)	River	(a) 449251 (b) 549107 (c) 1049820	(a) 458551 (b) 564135 (c) 1058890	15,362	-	-	Qty of water circulation & returned = 8,449 + 4086 = 12,535 KL
	Industrial cooling (WHRS)	River	-	-	4,243	-	-	Used for WHRS

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

**Note:** (1) Initial reading of the return line flow meter at the beginning of the month = 31, 68,100  
Final reading of the return line flow meter at end of month= 31, 76,549

(2) Initial reading of S.T.P flow meter at the beginning of the month = 2, 46,533  
Final reading of S.T.P flow meter at the end of the month= 2, 50,619

  
 Name of Customer  
 Address