



o/c

MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 11.05.2026

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality Survey report, Ambient Noise Survey report and Water Analysis report for the month of **April'2026** for Limestone mining for an area of 31.05 Ha, at South Khliehji.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


Authorized Signatory



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666

M/s MEGHALAYA CEMENTS LIMITED
AMBIENT AIR QUALITY SURVEY

MCL/ENV/LSM-AAQM/2026-27

Location of sampling	South Khliehji Limestone Mine (31.05 Ha)
Date duration of sampling	08.04.2026 & 09.04.2026
Time Duration of sampling	48 hours
Weather	Cloudy
Total Rain Fall, mm (On Date)	01.50 mm
Ambient Temperature (°C) :	Max. -21.98°C, Min. -14.96°C
Relative Humidity (%) :	Max. -94.37%, Min. -65.30 %
Wind direction	→SE(140.46°)

Pollutants	Analysis Results			Permissible Limits for Rural Areas (By MSPCB 24 hrs Monitoring)
	Station No. & Air Quality Survey No.			
	A1. North -East (Near Soil Dump) B/01/2026-27	A2. North - West (Near Haul Road) B/02/2026-27	A3.Southern side (Near Lease Boundary) B/03/2026-27	
	48 hrs.	48 hrs	48 hrs	
Particulate Matters PM10 (µg/m³)	37.58	35.13	33.18	100
Particulate Matters PM2.5 (µg/m³)	22.18	20.85	19.68	60

Remarks : The Parameters analysed were found to be within the permissible

Prepared by


(Abhigyan Gautam)

Checked & Verified By


(Kamallesh Kr. Choudhary)

NOISE LEVEL AT MINES SITE

MCL/ENV/LSM-NL/2026-27

Date: 16.04.2026


LOCATION BETWEEN INTERNAL ROADS AND BENCHES 2,3 IN
SOUTH & WEST DIRECTION OF SOUTH KHLIEHJARI LIMESTONE MINES

TIME	NOISE LEVEL (dB)
	60.0
6.00 AM	60.6
	60.3
	61.6
7.00 AM	60.0
	59.4
	61.3
8.00 AM	61.6
	63.3
	61.9
9.00 AM	61.3
	62.2
	62.8
10.00 AM	64.0
	64.7
	65.7
11.00 AM	65.1
	64.7
	66.8
12.00 AM	68.6
	68.5
	68.4
1.00 PM	69.0
	68.4
	70.5
2.00 PM	70.3
	74.8
	71.9
3.00 PM	72.1
	70.9
	69.9
4.00 PM	72.4
	67.9
	69.3
5.00 PM	70.2
	66.9
	67.0
6.00 PM	69.0
	72.0


TIME	NOISE LEVEL (dB)
	64.0
7.00 PM	64.6
	63.3
	62.1
8.00 PM	62.9
	63.3
	64.8
9.00 PM	61.3
	62.1
Noise Level, Leq (day) = 65.70 dB	

TIME	NOISE LEVEL (dB)
	56.9
10.00 PM	54.8
	56.9
	53.8
11.00 PM	53.6
	55.2
	54.9
12.00 PM	53.4
	52.6
	52.3
1.00 AM	52.0
	51.1
	53.2
2.00 AM	53.3
	54.2
	53.3
3.00 AM	54.3
	53.3
	51.9
4.00 AM	52.7
	51.8
	52.0
5.00 AM	52.9
	53.8
Noise Level, Leq (Night) = 53.50 dB	

Prepared By


(Abhigyan Gautam)

Verified By


(Kamalesh Kr. Choudhary)


Meghalaya cements limited

Thangskai , Meghalaya
UPSTREAM WATER ANALYSIS REPORT

Date:-08.04.2026

Sl. No.	Parameters	Obtained Values in April'2026	Permissible Limit
1	pH	7.8	6.5 - 8.5
2	Dissolved Oxygen (mg/lit)	13.63	-
3	Total Dissolve Solids (mg/Lit)	142	<500
4	Conductivity (mg/Lit)	168	-
5	Total Hardness (mg/ Lit)	115	<300
6	Calcium Hardness (mg/Lit)	36	<200
7	Magnesium Hardness (mg/Lit)	79	<100
8	Alkalinity (mg/Lit)	34	<200

Prepared By


Abhigyan Gautam

Checked & Verified By


Kamallesh Kr. Choudhary


Meghalaya cements limited

Thangskai , Meghalaya
UPSTREAM WATER ANALYSIS REPORT


Date:-08.04.2026

Sl. No.	Parameters	Obtained Values in April'2026	Permissible Limit
1	pH	7.8	6.5 - 8.5
2	Dissolved Oxygen (mg/lit)	13.63	-
3	Total Dissolve Solids (mg/Lit)	142	<500
4	Conductivity (mg/Lit)	168	-
5	Total Hardness (mg/ Lit)	115	<300
6	Calcium Hardness (mg/Lit)	36	<200
7	Magnesium Hardness (mg/Lit)	79	<100
8	Alkalinity (mg/Lit)	34	<200

Prepared By


Abhigyan Gautam

Checked & Verified By


Kamallesh Kr. Choudhary



MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 11.05.2026

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the Ambient Air Quality survey report along with stack analysis report, Ambient Noise survey report and Water analysis report for the month of April'2026 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


Authorized Signatory



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666





MEGHALAYA CEMENTS LIMITED

AMBIENT AIR QUALITY SURVEY

Location of sampling		MCL, Thangskai			
Date of sampling		24.04.2026 &25.04.2026			
Distance between the industry and sampling Location		100.0 meters 20.00 meters 25.00 meters 10.00 meters			
Time duration of sampling		48 hrs			
Weather		Clear			
Total Rainfall,mm(On Date)		0.00 mm			
Ambient Temperature(⁰ C)):					
Maximum:		26.17			
Minimum:		18.55			
Relative Humidity (%):					
Maximum:		97.63			
Minimum:		61.93			
Wind direction (in Degree)		→ S(190.70)			
Pollutants	Analysis results				Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.				
	1)Opposite Guest house A/01/2026-27	2) Near L/S Crusher A/02/2026-27	3) Near Substation (DW Direction) A/03/2026-27	4) Near CCR Building A/04/2026-27	
	24 hrs.	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM ₁₀ (µg/m ³)	38.86	33.18	29.85	36.25	100µg/m ³
Suspended Particulate Matters PM _{2.5} (µg/m ³)	21.47	18.16	17.45	22.56	60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED

CPP AMBIENT AIR QUALITY SURVEY

Location of sampling		CPP, MCL, Thangskai		
Date of sampling		03.04.2026		
Distance between the industry and sampling Location		25.0 meters 25.0 meters 25.0 meters		
Time duration of sampling		24hrs		
Weather		Clear		
Total Rainfall, mm(On Date)		0.00 mm		
Ambient Temperature(⁰ C):				
Maximum:		22.54		
Minimum:		17.39		
Relative Humidity (%):				
Maximum:		98.25		
Minimum:		91.25		
Wind direction (in Degree)		→SE (131.86)		
Pollutants	Analysis results			Permissible Limits For Rural Areas (By MSPCB 24hrs Monitoring)
	Station No. & Air Quality Survey No.			
	1)Old Yard side S to E B/01/2026-27	2) Labour colony side S to W B/02/2026-27	3)JUNGLE Side N to E B/03/2026-27	
	24 hrs.	24 hrs.	24 hrs.	
Suspended Particulate Matters PM ₁₀ (µg/m ³)	32.67	30.16	33.68	100µg/m ³
Suspended ParticulateMatters PM _{2.5} (µg/m ³)	18.24	19.46	21.85	60µg/m ³

Remarks: The parameters were analyzed and found within the permissible limits of Ambient Air Quality Standards (National) as per as the EPA Notification G.S.R.826 (E) dated 16th Nov'2009.

Prepared by
Abhigyan
(Abhigyan Gautam)

Checked & Verified by
Kamalesh
(Kamalesh Kr.Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Primary Crusher
Laboratory reference No : S/06/2026-27

Parameters:

1) Particulate Matter (PM): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Secondary Crusher
Laboratory reference No : S/07/2026-27

Parameters:

1) Particulate Matter (PM): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Kiln& Raw Mill (RABH-1)
Laboratory reference No : S/10/2026-27


Parameters:

- 1) Particulate Matter (PM): Plant Under major Shutdown.
- 2) Oxides of Sulfur (as SO₂): Plant Under major Shutdown.
- 3) Oxides of Nitrogen (NO_x): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamlesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Kiln& Raw Mill (RABH-2)
Laboratory reference No : S/11/2026-27


Parameters:

- 1) Particulate Matter (PM): Plant Under major Shutdown.
- 2) Oxides of Sulfur (as SO₂): Plant Under major Shutdown.
- 3) Oxides of Nitrogen (NO_x): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Note: *The SO₂ result mentioned in the test report based on the pyritic sulfur presence in our Limestone. The pyritic sulfur percentage in our limestone is >0.50.*

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamallesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : VRM
Laboratory reference No : S/01/2026-27

Parameters:

1) Particulate Matter (PM): : Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Cooler E.S.P-1
Laboratory reference No : S/08/2026-27

Parameters:

1) Particulate Matter (PM): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : Cooler E.S.P-2
Laboratory reference No : S/09/2026-27

Parameters:

(1) Particulate Matter (PM): Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 18.04.2026
Type of Stack : Cement Mill No-1
Laboratory reference No : S/04/2026-27

Parameters:

1) Particulate Matter (PM): 18.54 mg/Nm³.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamlesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of Sampling Location : MCL, Thangskai
Date of Sampling : 22.04.2026
Type of Stack : Cement Mill No-2
Laboratory reference No : S/05/2026-27

Parameters:

1) Particulate Matter (PM): 16.85 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : 14.04.2026
Type of Stack : Packing Plant-1
Laboratory reference No : S/02/2026-27

Parameters:

1) Particulate Matter (PM): 17.42..mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED

STACK ANALYSIS REPORT

Name of sampling Location : MCL, Thangskai
Date of Sampling : 13.04.2026
Type of Stack : Packing Plant-2
Laboratory reference No : S/03/2026-27

Parameters:

1) Particulate Matter (PM): 19.42 mg/Nm³

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.497 (E) dated 10th May'2016.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED


STACK ANALYSIS REPORT


Name of sampling Location : MCL, Thangskai
Date of Sampling : Plant Under major Shutdown
Type of Stack : CPP.
Laboratory reference No : S/12/202-27

Parameters:

- 1) Particulate Matter (PM):- Plant Under major Shutdown.
- 2) Oxides of Sulfur (as SO₂):- Plant Under major Shutdown.
- 3) Oxides of Nitrogen (NO_x):- Plant Under major Shutdown.

Remarks: The parameter was tested and found within the permissible limits of the Stack Emission Standards as per as the EPA Notification G.S.R.3305 (E) dated 07th Dec'2015.

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamallesh Kr .Choudhary)

MEGHALAYA CEMENTS LIMITED

MONTHLY REPORT: NOISE INTENSITY


April'26

Location		<u>Noise Intensity: dB (A) Leq</u>	
		Noise Value in dB (A) Leq	Noise Level not to exceed, in dB (A) Leq
Captive Power Plant	Day	35	75
	Night	25	70
DG House	Day	36	75
	Night	29	70
Guest House	Day	37	75
	Night	26	70
Crusher	Day	34	75
	Night	28	70

NOTE: Day Time (6:00AM to 9:00PM), Night Time (9:00PM to 6:00AM)

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr .Choudhary)


MEGHALAYA CEMENTS LIMITED

MONTHLY REPORT: NOISE INTENSITY

April'26

Location		Noise Intensity: dB (A) Leq	
		Noise Value in dB (A) Leq	Noise Level not to exceed, in dB (A) Leq
Drilling Point	Day	36	75
	Night	29	70
Blasting Point	Day	33	75
	Night	27	70
Hauling Point	Day	38	75
	Night	26	70
Crusher	Day	34	75
	Night	28	70

NOTE: Day Time (6:00AM to 9:00PM), Night Time (9:00PM to 6:00AM)

Prepared by

(Abhigyan Gautam)

Checked & Verified by

(Kamalesh Kr.Choudhary)


Meghalaya cements limited

Thangskai , Meghalaya
UPSTREAM WATER ANALYSIS REPORT


Date:-08.04.2026

Sl. No.	Parameters	Obtained Values in April'2026	Permissible Limit
1	pH	7.8	6.5 – 8.5
2	Dissolved Oxygen (mg/lit)	13.63	-
3	Total Dissolve Solids (mg/Lit)	142	<500
4	Conductivity (mg/Lit)	168	-
5	Total Hardness (mg/ Lit)	115	<300
6	Calcium Hardness (mg/Lit)	36	<200
7	Magnesium Hardness (mg/Lit)	79	<100
8	Alkalinity (mg/Lit)	34	<200

Prepared By


Abhigyan Gautam

Checked & Verified By


Kamallesh Kr. Choudhary


Meghalaya cements limited

Thangskai , Meghalaya
UPSTREAM WATER ANALYSIS REPORT


Date:-08.04.2026

Sl. No.	Parameters	Obtained Values in April'2026	Permissible Limit
1	pH	7.8	6.5 – 8.5
2	Dissolved Oxygen (mg/lit)	13.63	-
3	Total Dissolve Solids (mg/Lit)	142	<500
4	Conductivity (mg/Lit)	168	-
5	Total Hardness (mg/ Lit)	115	<300
6	Calcium Hardness (mg/Lit)	36	<200
7	Magnesium Hardness (mg/Lit)	79	<100
8	Alkalinity (mg/Lit)	34	<200

Prepared By


Abhigyan Gautam

Checked & Verified By


Kamalash Kr. Choudhary



MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 11.05.2026

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the Process Fugitive Emission report of the month April'2026 for 2600 TPD Cement Manufacturing Plant along with 10 MW Captive Power Plant report respectively.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED



Authorized Signatory



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in



HELPLINE NO : 18001233666


MEGHALAYA CEMENTS LIMITED

PROCESS FUGITIVE EMISSION TEST RESULTS


April'26

Date of Testing	Location	Fugitive Emission Results for SPM ($\mu\text{g}/\text{m}^3$)	As per the Standard Limit ($\mu\text{g}/\text{m}^3$)
10.04.2026	Lime stone Storage Area	2584	5000
11.04.2026	Coal Storage Area	819	2000
22.04.2026	Clinker Loading Area	3085	5000
23.04.2026	Cement Loading Area	3285	5000
28.04.2026	Coal Storage Area (CPP)	756	2000
29.04.2026	Fly Ash Silo Area (CPP)	714	2000

Prepared by


(Abhigyan Gautam)

Checked & Verified by


(Kamalesh Kr .Choudhary)



o/c
MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



To,

Date: 11.05.2026

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.

Dear Sir,

We are herewith submitting the water consumption report of 10 MW Captive Power Plant for the month of April'2026.

Month

Water Consumption

April'2026

Plant under major shutdown

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED

Thangskai
Authorized Signatory



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666





MEGHALAYA CEMENTS LIMITED

CIN-U26942ML2003PLC007125



Date: 11.05.2026 ka bharosa...hamesha

To,

The Member Secretary,
Meghalaya State Pollution Control Board,
'Arden' Lumpyngngad,
Shillong, Meghalaya.


Dear Sir,

We are herewith submitting the water consumption report of **2600 TPD Cement Manufacturing Plant** for the month of **April'2026**.

Thanking you Sir,

Yours faithfully,

For MEGHALAYA CEMENTS LIMITED


Authorized Signatory



Sales & Marketing Office :
Mega Plaza, 4th Floor, Christian Basti
G.S. Road, Guwahati - 781 005
Tel. : 0361 2345421/22/23, Fax : 0361 2345419
E-mail : guwahati@topcem.in
Web : www.topcem.in

Kolkata :
BE-77, Salt Lake City
Sector-1, Kolkata - 700 064
Tel. : 033 2334 0666 / 0004
Fax : 033 2334 0505
E-mail : kolkata@topcem.in

Registered Office :
Village: Thangskai, P.O. & P.S. Lumshnong
District : East Jaintia Hills, Meghalaya, PIN: 793210
Tel. : 03655 278324 / 363 / 364
Fax : 03655 278327
E-mail : meghalaya@topcem.in

HELPLINE NO : 18001233666



MEGHALAYA CEMENTS LIMITED

FORM - I

(See Rule 4)

Return: Water consumed during the month of April' 2026

Name and Address of the consumer	Purpose for which water consumed	Source Tube Well River etc.	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of the calendar month under report	Quantity of water consumed in Kiloliters	If the meter was out of order the monthly average consumption of water for the previous 3 month of working periods	Quantity of water qualifying for rebate according to the assesses	Remarks (*)
1	2	3	4	5	6	7	8	9
MEGHALAYA Cements Ltd. Village - Thangskai P.O - Lumshong Pin No 793210 Jaintia Hills - MEGHALAYA	Domestic purpose	River	(a) 503489 (b) 88189 (c) 901900	(a) 503489 (b) 88189 (c) 901900	9,881	-	-	Qty. of water consumed from river water = 9,881 + 12,071 = 21,952 KL
	Industrial cooling (Cement Plant)	River	(a) 458551 (b) 564135 (c) 1058890	(a) 461991 (b) 574146 (c) 1064578	12,071	-	-	Qty of water circulation & returned = 6,639 + 5930 = 12,569 KL
	Industrial cooling (WHRS)	River	-	-	-	-	-	Used for WHRS

For claiming the rebate under the column 7, the assesses has indicated in this column that has been analytical and the test report were annexed in this return to support the claim.

Note: (1) Initial reading of the return line flow meter at the beginning of the month = 31, 76, 549
Final reading of the return line flow meter at end of month = 31, 83, 188

(2) Initial reading of S.T.P flow meter at the beginning of the month = 2, 50, 619
Final reading of S.T.P flow meter at the end of the month = 2, 56, 549

Name of Customer
Address